SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

Article No. Version		3 (05.01.17)	Issue date: Page	05.01.17 1 / 8
			-	
	SECTION '		bstance/mixture and of the	
1.1. Due du et	i den tifi e r	company/unde	rtaking	
1.1 Product Trade name		RADAM AQUARELL		
	Finest artists' v	-		
	14 102 perma	nent Chinese white		
		substance or mixture and uses ad	lvised against	
Gen	eral use Products for cr	eation of art.		
Use	s advised against			
1.3 Details o	of the supplier of the sa	afety data sheet		
	H. Schmincke 8	& Co. GmbH & Co. KG		
	Otto-Hahn-Str. D - 40699 Erkr	_		
	Tel. +49 (0) 21	11-2509-0		
	Fax. +49 (0) 2 info@schminck			
	www.schminck			
Dep	t. responsible for informatio			
	Schmincke-lab: mo-th 8.00-16	: .30,fr 8.00-13.30		
	Tel. +49 (0) 2	11-2509-474		
	labor@schming	:ke.de		
1.4 Emergen	<u>icy telephone number</u>			
	Emergency Information	Emergencycall Berlin (24h - counseling in ger		
	Information Phone #	(24h - counseling in gei +49 (0) 30-30686790	rman and english)	
l				
		SECTION 2: Hazards	identification	
2.1 Classific	ation of the substance	<u>or mixture</u>		
<u>Classific</u>	ation according to EC r	regulation 1272/2008 (CLP)		
	tic Acute 1; H400 Very to tic Chronic 1; H410 Very	oxic to aquatic life. toxic to aquatic life with long lasting e	ffects.	
2.2 Label ele	ements			
Labellin	<u>ng (CLP)</u>			
Signal w	ord Warning			

Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

Based on the low volume (small packaging size) and the tiny risk potential there is no labelling on the pans and the 5ml tubes.

P102 Keep out of reach of children.

according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

Article No.	3 (05.01.17)	Issue date:	05.01.17
Version		Page	2 / 8

P270 Do not eat, drink or smoke when using this product.P273 Avoid release to the environment.P391 Collect spillage.

2.3 Other hazards

Contains 1,2-Benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction. (EUH208)

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterisation pigment gum arabic Water CAS-Number EINECS / ELINCS / NLP EU index number Customs tariff number REACH registration No. RTECS-no. Hazchem-Code CI-Number

PW4

3.2 Mixtures

Substance 1

zinc oxide: 50 - 75 % CAS: 1314-13-2 REACH: 01-2119463881-32-0043 Aquatic Acute 1; H400 / Aquatic Chronic 1; H410

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

No risks worthy of mention.

In case of inhalation

No special measures are required.

If you feel unwell, seek medical advice (show the label where possible).

In case of skin contact

Thoroughly wash skin with soap and water. Seek medical attention if irritation persists.

After eye contact

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention if irritation persists.

After swallowing

Rinse mouth with water. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

Article No.		Issue date:	05.01.17
Version	3 (05.01.17)	Page	3 / 8

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons

water High power water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up Methods for cleaning up

Take up mechanically. Wash spill area with plenty of water.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation. refer to section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers Keep container tightly closed.

Hints on joint storage Storage class

Further details

storage temperature: 5 - 30 °C Protect from moisture contamination.

7.3 Specific end use(s)

No special measures necessary if stored and handled as prescribed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1314-13-2 zinc oxide

[DEU	E-dust	1,250	mg/m³	4 (I)
	DEU		10,000		2(II)

8.2 Exposure controls

Occupational exposure controls

according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

Article No.		Issue date:	05.01.17
Version	3 (05.01.17)	Page	4 / 8

Respiratory protection

With the formation of dust, use a dust mask.

Hand protection

Protect skin by using skin protective cream.

Eye protection

Goggles

Body protection

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

General protection and hygiene measures After work, wash hands and face.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form	solid / pasty
Colour	pigmented
Odour	almost odourless

min max Initial boiling point and boiling range Melting point/freezing point Flash point/flash point range Flammability Ignition temperature Auto-ignition temperature **Explosion limits Refraction index** Partition coefficient: n-octanol/water **Danger of explosion** Vapour pressure max. Density 1,25 kg/l PH value 4 6,5

Viscosity dynamic of Viscosity dynamic up to

Viscosity kinematic of Viscosity kinematic up to

9.2 Other information

SECTION 10: Stability and reactivity

20 °C

10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2 Chemical stability

Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

frost and heat

10.5 Incompatible materials

strong acids oxidizing agents Strong alkali

10.6 Hazardous decomposition products

No known hazardous decomposition products.

according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

Article No.		Issue date:	05.01.17
Version	3 (05.01.17)	Page	5/8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

In case of inhalation

No data available

After swallowing

No data available

In case of skin contact No data available

After eye contact

No data available

Practical experience

General remarks

Toxicological tests

1314-13-2	zinc oxic	Je					
	oral	LD50	Rat		10000,000	mg/kg	-
-							
	inhalative	LC50	Rat	''	5,700	mg/l	(4h)

SECTION 12: Ecological information 12.1 Toxicity Aquatic toxicity 2 Water Hazard Class WGK catalog number **General information** 12.2 Persistence and degradability **Further details** Product is partially biodegradable. **Oxygen demand** 12.3 Bioaccumulative potential **Bioconcentration factor (BCF)** Partition coefficient: n-octanol/water 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment No data available 12.6 Other adverse effects **General information Ecotoxicological effects** 1314-13-2 zinc oxide 0,170 (72h) EC50 Algae mg/l **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

Article No.		Issue date:	05.01.17
Version	3 (05.01.17)	Page	6 / 8

<u>Product</u>

 Waste key number 080112
 080112 waste paint and varnish other than those mentioned in 080111

 Recommendation
 080112 waste paint and varnish other than those mentioned in 080111

Contaminated packaging

Waste key number Recommendation

Additional information

SECTION 14: Transport information

14.1 UN number

3082

14.2 UN proper shipping name

ADR, ADN	Environmentally hazardous substance, liquid n.o.s.
IMDG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR, ADN	9
IMDG	9
IATA	9

14.4 Packing group

III

14.5 Environmental hazards

Marine Pollutant - IMDG Marine Pollutant - ADN

14.6 Special precautions for user

Land transport	
Code: ADR/RID	M6
Kemmler-number	90
Hazard label ADR	9
Limited quantities	51
Contaminated packaging: Instructions	P001 - IBC03 - LP01 - R001
Contaminated packaging: Special provisions	PP1
Special provisions for packing together	MP19
Portable tanks: Instructions	T4
Portable tanks: Special provisions	TP1 - TP29
Tank coding	LGBV
Tunnel restriction	E
Remarks	
EQ	E1
Special provisions	274 - 335 - 375 - 601

Yes

Inland waterway craft

Hazard label Limited quantities Transport permitted Equipment necessary Ventilation Remarks EQ Special provisions

Sea transport

according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

Article No.		Issue date:	05.01.17
Version 3 (05.0	1.17)	Page	7/8
EmS	F-A, S-F		
Special provisions	274 - 335 - 969		
Limited quantities	51		
Contaminated packaging: Instructions	P001 - LP01		
Contaminated packaging: Special provisions	PP1		
IBC: Instructions	IBC03		
IBC: Provisions	-		
Tank instructions IMO	-		
Tank instructions UN	T4		
Tank instructions Special provisions	TP1 - TP29		
Stowage and segregation	category A		
Properties and observations			
Remarks			
EQ	E1		
<u>Air transport</u>			
Hazard	-		
Passenger	964 (4501)		
Passenger LQ	Y964 (30kg G)		
Cargo	964 (4501)		
ERG	9L		
Remarks			
EQ	E1		
Special Provisioning	A97 - A158 - A197		

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Europe

0 Contents of VOC [%] **Contents of VOC** [g/L] Further regulations, limitations and legal requirements

Germany

Storage class 2 Water Hazard Class WGK catalog number Incident regulation Information on working limitations Further regulations, limitations and legal requirements

Denmark

Further regulations, limitations and legal requirements

<u>Hungary</u>

Further regulations, limitations and legal requirements

Great Britain

Further regulations, limitations and legal requirements

Switzerland

according to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

Article No.		Issue date:	05.01.17
Version	3 (05.01.17)	Page	8 / 8

Contents of VOC [%] Further regulations, limitations and legal requirements

<u>USA</u>

Further regulations, limitations and legal requirements Federal Regulations State Regulations

<u>Japan</u>

Further regulations, limitations and legal requirements

<u>Canada</u>

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP)H400 Very toxic to aquatic life.H410 Very toxic to aquatic life with long lasting effects.

Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information