# series 14 - HORADAM AQUARELL

Article No.			Issue date:	05.01.17	
Version		3 ( 05.01.17 )	Page	1 / 9	
	SECTION	1: Identification of the s	substance/mixture and of the		
		company/und	lertaking		
1.1 Product	identifier				
Trade name	<mark>series 14</mark> - HO Finest artists' v	RADAM AQUARELL vater-colours			
	14 230 Naples 14 481 cerule 14 486 cobalt				
1.2 Relevant	t identified uses of the	substance or mixture and uses	advised against		
	eral use Products for cr				
Use	Uses advised against				
1 2 Dotaile e	of the supplier of the sa	foty data choot			
		& Co. GmbH & Co. KG 2 ath 11-2509-0 11-2509-497 ce.de			
Dep	t. responsible for information				
	Schmincke-lab mo-th 8.00-16 Tel. +49 (0) 2 labor@schmine	.30,fr 8.00-13.30 11-2509-474			
1.4 Emerger	ncy telephone number				
	Emergency Information Phone #	Emergencycall Berlin (24h - counseling in g +49 (0) 30-30686790	german and english)		
		<b>SECTION 2: Hazard</b>	s identification		
2.1 Classific	ation of the substance				
<u>C10551110</u>	Classification according to EC regulation 1272/2008 (CLP)				

Aquatic Chronic 2; H411 Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

### Labelling (CLP)



Signal word

Hazard statements

H411 Toxic to aquatic life with long lasting effects.

Based on the low volume (small packaging size) and the tiny risk potential there is no labelling on the pans and the 5ml tubes.

# series 14 - HORADAM AQUARELL

Article No.		Issue date:	05.01.17
Version	3 ( 05.01.17 )	Page	2/9
Safety precautions			
	P102 Keep out of reach of children.		
	P270 Do not eat, drink or smoke when using this prod	uct.	
	P273 Avoid release to the environment.		
	P391 Collect spillage.		
2.2 Other hanneds			
2.3 Other hazards	Contains 1,2-Benzisothiazol-3(2H)-one, 2-Methyl-2H-iso	othiazol-3-one. May produce an allergic	
	reaction. (EUH208)	ounded a bill hay produce an anergie	
	<b>SECTION 3: Composition / informa</b>	tion on ingredients	
3.1 Substances			
Chemical characterisation			
pigment			
gum arabic			
Water			
CAS-Number			
EINECS / ELINCS / NL	Р		

NECS / ELINCS / NLF EU index number Customs tariff number REACH registration No. RTECS-no. Hazchem-Code **CI-Number** 

14 230 PW6, PW4, PR242, PY42 14 481 PW4, PB15:3 14 486 PW4, PB29

### 3.2 Mixtures

Substance 1

zinc oxide: < 25 % CAS: 1314-13-2 REACH: 01-2119463881-32-0043 Aquatic Acute 1; H400 / Aquatic Chronic 1; H410

### **Additional information**

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### **General information**

No risks worthy of mention.

### In case of inhalation

No special measures are required.

If you feel unwell, seek medical advice (show the label where possible).

### In case of skin contact

Thoroughly wash skin with soap and water. Seek medical attention if irritation persists.

### After eye contact

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention if irritation persists.

### After swallowing

Rinse mouth with water. Let water be drunken in little sips (dilution effect).

# SAFETY DATA SHEET

rding to Regulation (EC) No. 1907/2006 (REACH)

# series 14 - HORADAM AQUARELL

Article No.		Issue date:	05.01.17
Version	3 ( 05.01.17 )	Page	3/9

Get medical advice/attention if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

### 4.3 Indication of any immediate medical attention and special treatment needed

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

### Suitable extinguishing media

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons water High power water jet

### 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

### 5.3 Advice for firefighters

### Special protective equipment for firefighters

Additional information

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

### 6.2 environmental precautions

Discharge into the environment must be avoided.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up Take up mechanically. Wash spill area with plenty of water.

**Additional information** 

### 6.4 Reference to other sections

Dispose of waste according to applicable legislation. refer to section 13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

### 7.2 Conditions for safe storage, including any incompatibilities

**Requirements for storerooms and containers** Keep container tightly closed.

Hints on joint storage

Storage class **Further details** 

storage temperature: 5 - 30 °C

Protect from moisture contamination.

### 7.3 Specific end use(s)

No special measures necessary if stored and handled as prescribed.

### SECTION 8: Exposure controls/personal protection

# series 14 - HORADAM AQUARELL

Article No.		Issue date:	05.01.17
Version	3 ( 05.01.17 )	Page	4 / 9

1314-13-2 zinc oxide

[	DEU	E-dust		mg/m³	4 (I)
	DEU		10,000	mg/m³	2(II)

### 8.2 Exposure controls

### **Occupational exposure controls**

**Respiratory protection** 

With the formation of dust, use a dust mask.

### Hand protection

Protect skin by using skin protective cream.

Eye protection

Goggles

### **Body protection**

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

General protection and hygiene measures After work, wash hands and face.

# **SECTION 9: Physical and chemical properties**

### 9.1 information on basic physical and chemical properties

Form	solid / pasty	iemicai prop	<u>berties</u>	
Colour	pigmented			
Odour	almost odourless			
		min	max	
Initial boiling point an	d			
boiling range				
Melting point/freezing	point			
Flash point/flash point	range			
Flammability				
Ignition temperature				
Auto-ignition tempera	ture			
Explosion limits				
Refraction index				
Partition coefficient: n	-octanol/water			
Danger of explosion				
Vapour pressure				
Density		max.		20
		1,25 kg/l		
PH value		4	6,5	
Viscosity dynamic of				
Viscosity dynamic up t	0			
Viscosity kinematic of				
Viscosity kinematic up	to			

### 9.2 Other information

### **SECTION 10: Stability and reactivity**

°C

### 10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2 Chemical stability

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

# series 14 - HORADAM AQUARELL

Article No.	3 ( 05.01.17 )	Issue date:	05.01.17
Version		Page	5 / 9

Product is stable under normal storage conditions.

### 10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

frost and heat

### **10.5 Incompatible materials**

strong acids oxidizing agents Strong alkali

### 10.6 Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity

No data available

In case of inhalation

### No data available

After swallowing

No data available

In case of skin contact No data available After eye contact

No data available

### Practical experience

### **General remarks**

### **Toxicological tests**

1314-13-2	zinc oxio	de				
	oral	LD50	Rat	10000,000	mg/kg	-
	inhalative	LC50	Rat	5,700	mg/l	(4h)

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Aquatic toxicity Water Hazard Class WGK catalog number **General information** 

### 12.2 Persistence and degradability

**Further details** Product is partially biodegradable. **Oxygen demand** 

2

### 12.3 Bioaccumulative potential

**Bioconcentration factor (BCF)** Partition coefficient: n-octanol/water

12.4 Mobility in soil No data available

### 12.5 Results of PBT and vPvB assessment

No data available

# series 14 - HORADAM AQUARELL

Article No.				Issue date:	05.01.17
Version	3 ( 05.0	01.17 )		Page	6 / 9
12.6 Other adv	erse effects				
General informat					
<b>Ecotoxicologica</b>	l effects				
1314-13-2	zinc oxide				
	EC50	Algae	0,170	mg/l (72h)	
	SECT	ION 13: Disposal	consideration	ne	
		1014 15. Disposal	CONSIDERATION	19	
13.1 Waste trea	<u>atment methods</u>				
<b>Product</b>					
Waste key num	ber				
080112	080112 waste paint and va	arnish other than those me	ntioned in 080111		
Recommendation	on				
<b>Contaminated</b>	packaging				
Waste key num Recommendation					
Additional info	ormation				
	050			-	
	SEC	TION 14: Transpo	ort information	]	
<u>14.1 UN numbe</u>	<u>er</u>				
	3082				
4 4 2 100					
	shipping name				
ADR, ADN IMDG, IATA	Environmentally hazardous sub ENVIRONMENTALLY HAZARDC		NOS		
INDO, IATA		JUD JUDDIANCE, EIQUID,	1.0.5.		
14.3 Transport	hazard class(es)				
ADR, ADN	9				
IMDG	9				
ΙΑΤΑ	9				
14.4 Packing g	roup				
	III				
14.5 Environme	antal hazarde				
Marine Polluta		Yes			
Marine Polluta		105			
14 6 Special pr	accutions for usor				
14.0 Special pro	ecautions for user				
Land transpor		MC			
Code: ADR/RI Kemmler-num		M6 90			
Hazard label A		9			
Limited quant	ities	51			
	packaging: Instructions	P001 - IBC03 - LP01	- R001		
	l packaging: Special provisions ions for packing together	PP1 MP19			
	s: Instructions	T4			
	s: Special provisions	TP1 - TP29			
Tank coding		LGBV			

# series 14 - HORADAM AQUARELL

Article No.	05 04 47 )	Issue date:	05.01.17
Version 3 (	05.01.17 )	Page	7 / 9
Tunnel restriction Remarks EQ Special provisions	E E1 274 - 335 - 375 - 601		
Inland waterway craft			
Hazard label Limited quantities Transport permitted Equipment necessary Ventilation Remarks EQ Special provisions			
<u>Sea transport</u> EmS	F-A, S-F		
Special provisions Limited quantities	274 - 335 - 969 51 P001 - LP01		
Contaminated packaging: Instructions Contaminated packaging: Special provisions IBC: Instructions	PP1 IBC03		
IBC: Provisions Tank instructions IMO Tank instructions UN	- T4		
Tank instructions Special provisions Stowage and segregation Properties and observations	TP1 - TP29 category A		
Remarks EQ	E1		
<u>Air transport</u>			
Hazard Passenger Passenger LQ Cargo ERG Remarks	- 964 (450l) Y964 (30kg G) 964 (450l) 9L		
EQ Special Provisioning	E1 A97 - A158 - A197		
<b>14.7 Transport in bulk according to Anne</b> No data available	x II of MARPOL 73/78 and the IBC Co	<u>ode</u>	

## **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulations

### <u>Europe</u>

0 Contents of VOC [%] **Contents of VOC** [g/L] Further regulations, limitations and legal requirements

### **Germany**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

# series 14 - HORADAM AQUARELL

Storage class 2   Water Hazard Class 2   WGK catalog number 2	Article No.		Issue date:	05.01.17
Water Hazard Class 2   WGK catalog number 2	Version	3 ( 05.01.17 )	Page	8 / 9
WGK catalog number	Storage class			
-	Water Hazard Class	2		
- · · · · · · · · · · · · · · · · · · ·	WGK catalog number			
Incident regulation	Incident regulation			
Information on working limitations Further regulations, limitations and legal requirements				

### **Denmark**

Further regulations, limitations and legal requirements

### Hungary

Further regulations, limitations and legal requirements

### **Great Britain**

Further regulations, limitations and legal requirements

### **Switzerland**

Contents of VOC [%] Further regulations, limitations and legal requirements

### <u>USA</u>

Further regulations, limitations and legal requirements Federal Regulations State Regulations

### <u>Japan</u>

Further regulations, limitations and legal requirements

### <u>Canada</u>

Further regulations, limitations and legal requirements

### 15.2 Chemical Safety Assessment

## **SECTION 16: Other information**

### **Further information**

Hazard statements (CLP)H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.

### Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

#### Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### **Reason of change**

Article No.		Issue date:	05.01.17
Version	3 ( 05.01.17 )	Page	9/9

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.