Page 1 of 9 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.05.2016 / 0006 Replacing version dated / version: 25.04.2016 / 0005 Valid from: 04.05.2016 PDF print date: 09.07.2018 Fabric glue Textil+ 30 g Art.: 968 008

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

(GB)

Fabric glue Textil+ 30 g Art.: 968 008 Fabric glue Textil+ 110 g Art.: 968 009

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Sector of use [SU]:

SU21 - Consumer uses: Private households (=general public = consumers) Chemical product category [PC]: PC 1 - Adhesives, sealants

Uses advised against: No information available at present.

PRYM CONSUMER Europe GmbH, Zweifaller Str. 130, 52224 Stolberg, Germany Phone: +49 (0)2402 - 14 04, Fax: +49 (0)2402 - 14 29 19

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0)2402 - 14 04

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH208-Contains Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1). May produce an allergic reaction.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %). The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substance

(GB)

3.2 Mixture	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	
CAS	
content %	
Classification according to Regulation (EC) 1272/2008 (CLP)	

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Consult doctor immediately - keep Data Sheet available.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray / alcohol resistant foam / CO2 / dry extinguisher

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon

Toxic gases **5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required. Avoid contact with eyes or skin. (GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.05.2016 / 0006 Replacing version dated / version: 25.04.2016 / 0005 Valid from: 04.05.2016 PDF print date: 09.07.2018 Fabric glue Textil+ 30 g Art.: 968 008

6.2 Environmental precautions

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing. Protect from direct sunlight and warming. Protect from frost.

Store at room temperature.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here. Not required in contained systems, as no exposure normally occurs here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Normally not necessary. With danger of contact with eyes. Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Protective gloves in butyl rubber (EN 374). Minimum layer thickness in mm: >= 0,5 Permeation time (penetration time) in minutes: >= 480 Safety gloves made of chloroprene (EN 374). Permeation time (penetration time) in minutes: <=15

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Normally not necessary.

Respiratory protection: Normally not necessary.

Thermal hazards:

(GB)

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Viscous White Colour: Odour: Mild Odour threshold: Not determined 4,5 (20°C) pH-value: Melting point/freezing point: Not determined Initial boiling point and boiling range: Not determined Flash point: n.a. Evaporation rate: Not determined Flammability (solid, gas): Not determined Lower explosive limit: n.a. Upper explosive limit: n.a. Vapour pressure: Not determined Vapour density (air = 1): Not determined Density: 1,1 g/cm3 (20°C) Bulk density: Not determined Solubility(ies): Not determined Water solubility: Mixable Partition coefficient (n-octanol/water): Not determined Auto-ignition temperature: n.a., Ignition temperature Decomposition temperature: Not determined Viscosity: 8000 mPas Explosive properties: Product is not explosive. Oxidising properties: Not determined 9.2 Other information Miscibility: Not determined Fat solubility / solvent: Not determined Conductivity: Not determined Surface tension: Not determined Solvents content: Not determined

SECTION 10: Stability and reactivity

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.05.2016 / 0006 Replacing version dated / version: 25.04.2016 / 0005 Valid from: 04.05.2016 PDF print date: 09.07.2018 Fabric glue Textil+ 30 g Art.: 968 008

10.1 Reactivity

See also Subsection 10.2 to 10.6. The product has not been tested. **10.2 Chemical stability** See also Subsection 10.1 to 10.6. Stable with proper storage and handling.

10.3 Possibility of hazardous reactions See also Subsection 10.1 to 10.6.

No dangerous reactions are known. **10.4 Conditions to avoid**

See also section 7.

None known

10.5 Incompatible materials

See also section 7. None known

10.6 Hazardous decomposition products

See also Subsection 10.1 to 10.5. See also section 5.2 No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:				- J		n.d.a.
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-						
RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
Other information:						According to
						current
						knowledge tha
						mixture does
						not endanger
						man under
						normal
						conditions of
						application.
	1	1		1	1	
	SE		Ecologi	cal informat	ion	
	36		LCOID			
Possibly more information on e	nvironmental	effects see Se	ction 2.1 (c	lassification)		
Fabric glue Textil+ 30 g	initioninental	010013, 300 00	0.0112.1 (0	addition.		
Art.: 968 008						
	point Ti	me Value	Unit	Organism	Test method	Notes

(B)					
Page 6 of 9					
Safety data sheet according to Regulation (EC) No 1907/2006, A	Annex II				
Revision date / version: 04.05.2016 / 0006					
Replacing version dated / version: 25.04.2016 / 0005					
Valid from: 04.05.2016 PDF print date: 09.07.2018					
Fabric glue Textil+ 30 g					
Art.: 968 008					
12.1. Toxicity to fish:		n.d.a.			
12.1. Toxicity to daphnia:		n.d.a.			
12.1. Toxicity to algae:		n.d.a.			
12.2. Persistence and		n.d.a.			
degradability:					
12.3. Bioaccumulative		n.d.a.			
potential: 12.4. Mobility in soil:		n.d.a.			
12.5. Results of PBT		n.d.a.			
and vPvB assessment					
12.6. Other adverse		n.d.a.			
effects:					
SECTION 13: Dis	posal considerations				
13.1 Waste treatment methods					
For the substance / mixture / residual amounts					
EC disposal code no.:					
The waste codes are recommendations based on the schedule	d use of this product				
Owing to the user's specific conditions for use and disposal, oth					
allocated under certain circumstances. (2014/955/EU)	-				
08 04 10 waste adhesives and sealants other than those mention	oned in 08 04 09				
Recommendation:					
Sewage disposal shall be discouraged. Pay attention to local and national official regulations.					
E.g. dispose at suitable refuse site.					
E.g. suitable incineration plant.					
For contaminated packing material					
Pay attention to local and national official regulations.					
Recommended cleaner:					
Water					
SECTION 14: Tr	ansport information				
	•				
General statements					
14.1. UN number:	n.a.				
Transport by road/by rail (ADR/RID)					
14.2. UN proper shipping name:					
14.3. Transport hazard class(es):	n.a.				
14.4. Packing group:	n.a.				
Classification code: LQ:	n.a.				
LQ: 14.5. Environmental hazards:	n.a. Not applicable				
Tunnel restriction code:					
Transport by sea (IMDG-code)					
14.2. UN proper shipping name:					
14.3. Transport hazard class(es):	n.a.				
14.4. Packing group:	n.a.				
Marine Pollutant: 14.5. Environmental hazards:	n.a Not applicable				
Transport by air (IATA)					
14.2. UN proper shipping name:					
14.3. Transport hazard class(es):	n.a.				
14.4. Packing group:	n.a.				
14.5. Environmental hazards:	Not applicable				
14.6. Special precautions for user					
Unless specified otherwise, general measures for safe transport must be followed.					
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code					
Non-dangerous material according to Transport Regulations.					

Fabric glue Textil+ 30 g Art.: 968 008

(GB)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

0 %

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label. Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012. Approval of the biocidal active substance may mean that special conditions are required for marketing the treated goods. These are indicated in the approval of the active substance.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

2, 15

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

Any abbreviations and acronyms used in this document:

AC Article Categories according, according to acc., acc. to ACGIHAmerican Conference of Governmental Industrial Hygienists ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOEL Acceptable Operator Exposure Level AOX Adsorbable organic halogen compounds approx. approximately Article number Art., Art. no. Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP) ATE Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAM BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation) BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) BMGV Biological monitoring guidance value (EH40, UK) BOD Biochemical oxygen demand BSEF Bromine Science and Environmental Forum body weight bw CAS Chemical Abstracts Service CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques CIPAC Collaborative International Pesticides Analytical Council CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic COD Chemical oxygen demand CTFA Cosmetic, Toiletry, and Fragrance Association DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon DT50 Dwell Time - 50% reduction of start concentration

- @
Page 8 of 9
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 04.05.2016 / 0006
Replacing version dated / version: 25.04.2016 / 0005
Valid from: 04.05.2016
PDF print date: 09.07.2018
Fabric glue Textil+ 30 g
Art.: 968 008
DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes)
· · · · · · · · · · · · · · · · · · ·
dw dry weight
e.g. for example (abbreviation of Latin 'exempli gratia'), for instance
EC European Community
ECHA European Chemicals Agency
EEA European Economic Area
EEC European Economic Community
EINECS European Inventory of Existing Commercial Chemical Substances
ELINCS European List of Notified Chemical Substances
EPA United States Environmental Protection Agency (United States of America)
ERC Environmental Release Categories
ES Exposure scenario
etc. et cetera
EU European Union
EWC European Waste Catalogue
Fax. Fax number
gen. general
GHS Globally Harmonized System of Classification and Labelling of Chemicals
GWP Global warming potential
HET-CAM Hen's Egg Test - Chorionallantoic Membrane
HGWP Halocarbon Global Warming Potential
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IBC Intermediate Bulk Container
IBC (Code) International Bulk Chemical (Code)
IC Inhibitory concentration
IMDG-code International Maritime Code for Dangerous Goods
incl. including, inclusive
IUCLIDInternational Uniform ChemicaL Information Database
LC lethal concentration
LC50 lethal concentration 50 percent kill
LCLo lowest published lethal concentration
LD Lethal Dose of a chemical
LD50 Lethal Dose, 50% kill
LDLo Lethal Dose Low
LOAELLowest Observed Adverse Effect Level
LOEC Lowest Observed Effect Concentration
LOEL Lowest Observed Effect Level
LQ Limited Quantities
MARPOL International Convention for the Prevention of Marine Pollution from Ships
n.a. not applicable
n.av. not available
n.c. not checked
n.d.a. no data available
NIOSHNational Institute of Occupational Safety and Health (United States of America)
NOAEC No Observed Adverse Effective Concentration
NOAEL No Observed Adverse Effect Level
NOEC No Observed Effect Concentration
NOEL No Observed Effect Level
ODP Ozone Depletion Potential
OECD Organisation for Economic Co-operation and Development
org. organic
PĂH polycyclic aromatic hydrocarbon
PBT persistent, bioaccumulative and toxic
PC Chemical product category
PE Polyethylene
PNEC Predicted No Effect Concentration
POCP Photochemical ozone creation potential
ppm parts per million
PROC Process category
PTFE Polytetrafluorethylene
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning
the Registration, Evaluation, Authorisation and Restriction of Chemicals)
,

Page 9 of 9 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.05.2016 / 0006 Replacing version dated / version: 25.04.2016 / 0005 Valid from: 04.05.2016 PDF print date: 09.07.2018 Fabric glue Textil+ 30 g Art.: 968 008 REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) SADT Self-Accelerating Decomposition Temperature SAR Structure Activity Relationship

SVHC Substances of Very High Concern Tel. Telephone

ThOD Theoretical oxygen demand

TOC Total organic carbon

Sector of use

TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).

WHO World Health Organization

wwt wet weight

(GB)

SU

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.