

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 041 - RAPID medium

Article No.  
Version 6 ( 10.07.17 )

Issue date: 10.07.17  
Page 1 / 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name 50 041 - RAPID medium

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use  
Products for creation of art.

Uses advised against

#### 1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG  
Otto-Hahn-Str. 2  
D - 40699 Erkrath  
Tel. +49 (0) 211-2509-0  
Fax. +49 (0) 211-2509-497  
info@schmincke.de  
www.schmincke.de

Dept. responsible for information  
Schmincke-lab:  
mo-th 8.00-16.30,fr 8.00-13.30  
Tel. +49 (0) 211-2509-474  
labor@schmincke.de

#### 1.4 Emergency telephone number

Emergency  
Information  
Phone #

Emergencycall Berlin  
(24h - counseling in german and english)  
+49 (0) 30-30686790

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to EC regulation 1272/2008 (CLP)

Asp. Tox. 1; H304 May be fatal if swallowed and enters airways.

#### 2.2 Label elements

##### Labelling (CLP)



Signal word Danger

##### Hazard statements

H304 May be fatal if swallowed and enters airways.

##### Safety precautions

P102 Keep out of reach of children.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/..  
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

#### 2.3 Other hazards

Repeated exposure may cause skin dryness or cracking. (EUH066)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 041 - RAPID medium

Article No.		Issue date:	10.07.17
Version	6 ( 10.07.17 )	Page	2 / 8

### SECTION 3: Composition / information on ingredients

#### 3.1 Substances

##### Chemical characterisation

Alkyd resin  
white spirit  
siccative  
CAS-Number  
EINECS / ELINCS / NLP  
EU index number  
Customs tariff number  
REACH registration No.  
RTECS-no.  
Hazchem-Code  
CI-Number

#### 3.2 Mixtures

##### Substance 1

naphta (petroleum), hydrotreated heavy: 50 - 60 %  
CAS: 64742-48-9  
REACH: 01-2119457273-39-xxxx  
Asp. Tox. 1; H304 / EUH066

##### Substance 2

distillates (petroleum), hydrotreated light: 5 - < 10 %  
CAS: 64742-47-8  
Asp. Tox. 1; H304 / EUH066

##### Additional information

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

If you feel unwell, seek medical advice (show the label where possible).

##### In case of inhalation

Provide fresh air. Seek medical attention if problems persist.

##### In case of skin contact

Remove residues with soap and water. In case of skin irritation, consult a physician.

##### After eye contact

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 10 - 15 minutes. Seek medical attention if irritation persists.

##### After swallowing

Rinse mouth with water. Do NOT induce vomiting. Immediately get medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### 4.3 Indication of any immediate medical attention and special treatment needed

Caution if victim vomits: Risk of aspiration!

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

##### Extinguishing media which must not be used for safety reasons

strong water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 041 - RAPID medium

Article No.  
Version 6 ( 10.07.17 )

Issue date: 10.07.17  
Page 3 / 8

### 5.3 Advice for firefighters

**Special protective equipment for firefighters**  
Use appropriate respiratory protection.  
**Additional information**

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

### 6.2 environmental precautions

Discharge into the environment must be avoided.

### 6.3 Methods and material for containment and cleaning up

**Methods for cleaning up**  
Collect spilled material using paper towels and dispose.  
**Additional information**

### 6.4 Reference to other sections

Dispose of waste according to applicable legislation.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

**Advices on safe handling**  
Handle in accordance with good industrial hygiene and safety practice.  
**Precautions against fire and explosion**  
No special measures are required.

### 7.2 Conditions for safe storage, including any incompatibilities

**Requirements for storerooms and containers**  
**Hints on joint storage**  
**Storage class**  
**Further details**  
Protect from frost and exposure to sun.

### 7.3 Specific end use(s)

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

64742-48-9 naphta (petroleum), hydrotreated heavy

DEU	WEL	100,000	mg/kg	-
DEU	WEL	600,000	mg/m <sup>3</sup>	-

64742-47-8 distillates (petroleum), hydrotreated light

DEU	WEL	50,000	mL/m <sup>3</sup>	-
DEU	WEL	350,000	mg/m <sup>3</sup>	4 (II)

### 8.2 Exposure controls

#### Occupational exposure controls

**Respiratory protection**  
With correct and proper use, and under normal conditions, breathing protection is not required.  
Respiratory protection must be worn whenever the WEL levels have been exceeded.  
Combination filtering device (EN 14387) Use filter type A (= against vapours of organic substances)

**Hand protection**  
Qualified materials: Nitrile rubber  
Layer thickness > 0,35 mm

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 041 - RAPID medium

Article No.		Issue date:	10.07.17
Version	6 ( 10.07.17 )	Page	4 / 8

Breakthrough time > 480 min

Ultranitрил 492 - MAPA GmbH, Industriestraße 21- 25, D-27404 Zeven, Internet: www.mapa-pro.de

All information was derived in accordance with EU directive 89/686/EEG and the resultant EN 374 in cooperation with MAPA GmbH. This recommendation applies exclusively to the product and use named in Section 1. In the event of commingling or deviating conditions, contact the suppliers of CE-approved gloves. This information is based on our current state of knowledge and describes the security standards applicable to our product for the purpose provided.

### Eye protection

Goggles

### Body protection

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

### General protection and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

## SECTION 9: Physical and chemical properties

### 9.1 information on basic physical and chemical properties

Form	liquid		
Colour	yellowish, clear		
Odour	white spirit		
		min	max
Initial boiling point and boiling range			
Melting point/freezing point			
Flash point/flash point range		>	61 °C
Flammability			
Ignition temperature			
Auto-ignition temperature			
Explosion limits			
Refraction index			
Partition coefficient: n-octanol/water			
Danger of explosion			
Vapour pressure			
Density	0,85 g/ml		20 °C
PH value			
Viscosity dynamic of			
Viscosity dynamic up to			
Viscosity kinematic of	11 mm <sup>2</sup> /s		40 °C
Viscosity kinematic up to	12 mm <sup>2</sup> /s		40 °C

### 9.2 Other information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Product is stable under normal storage conditions.

### 10.2 Chemical stability

### 10.3 Possibility of hazardous reactions

### 10.4 Conditions to avoid

Protect from frost and exposure to sun.

### 10.5 Incompatible materials

strong oxidizing agents

### 10.6 Hazardous decomposition products

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 041 - RAPID medium

Article No. **6 ( 10.07.17 )** Issue date: **10.07.17**  
Version **6 ( 10.07.17 )** Page **5 / 8**

Hazardous vapours may form during fires.

64742-48-9 naphta (petroleum), hydrotreated heavy

oral	LD50	Rat	>	5000,000	mg/kg	-
inhalative	LC50	Rat	>	4900,000	mg/m <sup>3</sup>	(4h)
dermal	LD50	Rabbit	>	5000,000	mg/kg	-

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

No data available

#### In case of inhalation

No data available

#### After swallowing

No data available

#### In case of skin contact

No data available

#### After eye contact

No data available

### Practical experience

### General remarks

### Toxicological tests

64742-48-9 naphta (petroleum), hydrotreated heavy

LC50	fish	>	1000,000	mg/l	-
LC50	Algae	>	1000,000	mg/l	-

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity

No data available

#### Water Hazard Class

2

#### WGK catalog number

#### General information

### 12.2 Persistence and degradability

#### Further details

Product is partially biodegradable.

#### Oxygen demand

### 12.3 Bioaccumulative potential

#### Bioconcentration factor (BCF)

Partition coefficient: n-octanol/water

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

#### General information

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 041 - RAPID medium

Article No.		Issue date:	10.07.17
Version	6 ( 10.07.17 )	Page	6 / 8

### Ecotoxicological effects

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

**Product**

Waste key number  
080111      080111\* waste paint and varnish containing organic solvents or other dangerous substances

Recommendation

### Contaminated packaging

Waste key number  
Recommendation

### Additional information

## SECTION 14: Transport information

### 14.1 UN number

### 14.2 UN proper shipping name

ADR, ADN      No dangerous good in sense of these transport regulations.  
IMDG, IATA

### 14.3 Transport hazard class(es)

ADR, ADN  
IMDG  
IATA

### 14.4 Packing group

### 14.5 Environmental hazards

Marine Pollutant - IMDG  
Marine Pollutant - ADN

### 14.6 Special precautions for user

#### Land transport

Code: ADR/RID  
Kemmler-number  
Hazard label ADR  
Limited quantities  
Contaminated packaging: Instructions  
Contaminated packaging: Special provisions  
Special provisions for packing together  
Portable tanks: Instructions  
Portable tanks: Special provisions  
Tank coding  
Tunnel restriction  
Remarks  
EQ  
Special provisions

#### Inland waterway craft

Hazard label  
Limited quantities  
Transport permitted  
Equipment necessary

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 041 - RAPID medium

Article No.		Issue date:	10.07.17
Version	6 ( 10.07.17 )	Page	7 / 8

Ventilation  
Remarks  
EQ  
Special provisions

### Sea transport

EmS  
Special provisions  
Limited quantities  
Contaminated packaging: Instructions  
Contaminated packaging: Special provisions  
IBC: Instructions  
IBC: Provisions  
Tank instructions IMO  
Tank instructions UN  
Tank instructions Special provisions  
Stowage and segregation  
Properties and observations  
Remarks  
EQ

### Air transport

Hazard  
Passenger  
Passenger LQ  
Cargo  
ERG  
Remarks  
EQ  
Special Provisioning

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Europe

Contents of VOC [%]  
Contents of VOC  
[g/L]  
Further regulations, limitations and legal requirements

##### Germany

Storage class  
Water Hazard Class 2  
WGK catalog number  
Incident regulation  
Information on working limitations  
Further regulations, limitations and legal requirements

##### Denmark

Further regulations, limitations and legal requirements

##### Hungary

Further regulations, limitations and legal requirements

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 041 - RAPID medium

Article No.		Issue date:	10.07.17
Version	6 ( 10.07.17 )	Page	8 / 8

### Great Britain

Further regulations, limitations and legal requirements

### Switzerland

Contents of VOC [%]

~ 58 %

Further regulations, limitations and legal requirements

### USA

Further regulations, limitations and legal requirements

Federal Regulations

State Regulations

### Japan

Further regulations, limitations and legal requirements

### Canada

Further regulations, limitations and legal requirements

## 15.2 Chemical Safety Assessment

## SECTION 16: Other information

### Further information

**Hazard statements (CLP)** H304 May be fatal if swallowed and enters airways.

#### **Further information**

This information is based on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

#### **Literature**

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### **Reason of change**

#### **Additional information**

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.