



REIMBOLD & STRICK

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KGE 181

Revision date: 08.03.2018

Product code: KGE-181

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

KGE 181

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Ceramic

1.3. Details of the supplier of the safety data sheet

Company name: REIMBOLD & STRICK
Handels- und Entwicklungsgesellschaft für chemisch-keramische Produkte mbh
Street: Hansestr. 70
Place: D-51149 Köln
Post-office box: 92 04 35
D-51154 Köln
Telephone: +49 2203 8985-0
Telefax: +49 2203 8985-260
e-mail: info@reimbold-und-strick.de
Internet: www.reimbold-und-strick.de

1.4. Emergency telephone number:

Giftnotruf Berlin 030 30686 790 Beratung in Deutsch und Englisch (24h Mo-So)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

May cause damage to organs through prolonged or repeated exposure.

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Quartz (fine fraction)

Signal word: Warning

Pictograms:



Hazard statements

H373

May cause damage to organs through prolonged or repeated exposure.

H411

Toxic to aquatic life with long lasting effects.

Precautionary statements

P260

Do not breathe dust/fume/gas/mist/vapours/spray.

P273

Avoid release to the environment.

P314

Get medical advice/attention if you feel unwell.

P391

Collect spillage.

P501

Dispose of contents/container to an approved waste disposal company.



REIMBOLD & STRICK

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KGE 181

Revision date: 08.03.2018

Product code: KGE-181

Page 2 of 9

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
1314-13-2	zinc oxide			1 - < 5 %
	215-222-5	030-013-00-7	01-2119463881-32	
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410			
14808-60-7	Quartz (fine fraction)			1 - < 5 %
	238-878-4			
	STOT RE 1; H372			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. Get medical advice/attention if you feel unwell.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. If eye irritation persists: Get medical advice/attention.

After ingestion

Rinse mouth immediately and drink plenty of water. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures



REIMBOLD & STRICK

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KGE 181

Revision date: 08.03.2018

Product code: KGE-181

Page 3 of 9

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid dust formation. Do not breathe dust.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Provide adequate ventilation as well as local exhaustion at critical locations.

Advice on storage compatibility

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
1314-13-2	zinc oxide			
Worker DNEL, long-term		inhalation	systemic	5 mg/m ³
Worker DNEL, long-term		inhalation	local	0,5 mg/m ³
Worker DNEL, long-term		dermal	systemic	83 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	2,5 mg/m ³
Consumer DNEL, long-term		dermal	systemic	83 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,83 mg/kg bw/day



REIMBOLD & STRICK

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KGE 181

Revision date: 08.03.2018

Product code: KGE-181

Page 4 of 9

PNEC values

CAS No	Substance	
Environmental compartment		Value
1314-13-2	zinc oxide	
Freshwater		0,020 mg/l
Marine water		0,006 mg/l
Freshwater sediment		117,8 mg/kg
Marine sediment		56,5 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,1 mg/l
Soil		35,6 mg/kg

8.2. Exposure controls



Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Wear safety glasses with side-shields in circumstances where there is a risk of penetrative eye injuries.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of prolonged exposure to airborne dust concentrations, wear a respiratory protective equipment that complies with the requirements of European or national legislation.

The use of half or full face masks with filters against particles of category 2 or 3 (FP2 - FP3) is recommended.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: grey
Odour: odourless

Test method

pH-Value: not determined

Changes in the physical state

Melting point: not determined



REIMBOLD & STRICK

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KGE 181

Revision date: 08.03.2018

Product code: KGE-181

Page 5 of 9

Initial boiling point and boiling range: not determined

Flash point: not applicable

Flammability

Solid: not determined

Gas: not applicable

Lower explosion limits: not determined

Upper explosion limits: not determined

Auto-ignition temperature

Solid: not determined

Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density: not determined

Solubility in other solvents

not determined

Partition coefficient: not determined

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

**KGE 181**

Revision date: 08.03.2018

Product code: KGE-181

Page 6 of 9

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1314-13-2	zinc oxide				
	oral	LD50 >5000 mg/kg	Rat		
	inhalative (4 h) aerosol	LC50 5,7 mg/l	Rat		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Quartz (fine fraction))

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information**12.1. Toxicity**

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d]	Species	Source
1314-13-2	zinc oxide				
	Acute algae toxicity	ErC50 0,17 mg/l	72 h	Selenastrum capricornutum	

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.



REIMBOLD & STRICK

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KGE 181

Revision date: 08.03.2018

Product code: KGE-181


Page 7 of 9

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information


Land transport (ADR/RID)

14.1. UN number:	UN 3077
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains zinc oxyde)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9 
Classification code:	M7
Special Provisions:	274 335 601
Limited quantity:	5 kg
Transport category:	3
Hazard No:	90

Other applicable information (land transport)

E1


Inland waterways transport (ADN)

14.1. UN number:	UN 3077
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains zinc oxyde)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9 
Classification code:	M7
Special Provisions:	274 335 601
Limited quantity:	5 kg

Other applicable information (inland waterways transport)

E1

Marine transport (IMDG)

14.1. UN number:	UN 3077
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains zink oxyde)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9 



REIMBOLD & STRICK

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KGE 181

Revision date: 08.03.2018

Product code: KGE-181

Page 8 of 9

Special Provisions: 274, 335, 966, 967
Limited quantity: 5 kg
EmS: F-A, S-F

Other applicable information (marine transport)

E1

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3077
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains zink oxyde)
14.3. Transport hazard class(es): 9
14.4. Packing group: III
Hazard label: 9



Special Provisions: A97 A158 A179
Limited quantity Passenger: 30 kg G
IATA-packing instructions - Passenger: 956
IATA-max. quantity - Passenger: 400 kg
IATA-packing instructions - Cargo: 956
IATA-max. quantity - Cargo: 400 kg

Other applicable information (air transport)

E1
Y956

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: Zinc oxyde

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:
zinc oxide

SECTION 16: Other information



REIMBOLD & STRICK

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KGE 181

Revision date: 08.03.2018

Product code: KGE-181

Page 9 of 9

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H372	Causes damage to organs (lungs) through prolonged or repeated exposure if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)