SAFETY DATA SHEET

WINSOR & NEWTON ARTISTS' GLOSS VARNISH / VERNIS BRILLANT POUR ARTISTES

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier WINSOR & NEWTON ARTISTS' GLOSS VARNISH / VERNIS BRILLANT POUR ARTISTES Product name 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses Varnish for Oil Painting Varnish for Acrylic Painting Uses advised against No specific uses advised against are identified. 1.3. Details of the supplier of the safety data sheet Supplier ColArt International Holdings Ltd. The Studio Building 21 Evesham Street London W11 4AJ United Kingdom +44 (0)208 424 3200 R.Enquiries@colart.co.uk Contact person **Regulatory Manager** Manufacturer ColArt International SA 5 Rue Rene Panhard Z.I .Nord 72021 Le Mans Cedex 2 +33 2 43 83 83 00 1.4. Emergency telephone number **Emergency telephone** +44 (0)208 424 3200 This telephone number is available during office hours only 09:00 to 17:00 GMT Language English. SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification Physical hazards Flam. Liq. 3 - H226

Health hazardsElicitation - EUH208 STOT RE 1 - H372

Environmental hazards Aquatic Chronic 2 - H411

Classification (67/548/EEC or R10, R53, R66 1999/45/EC)

2.2. Label elements

Pictogram



Signal word



Hazard statements	H226 Flammable liquid and vapour. H372 Causes damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects. EUH208 Contains . May produce an allergic reaction.
Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with national regulations. P261 Avoid breathing vapour/spray. P271 Use only outdoors or in a well-ventilated area. P102 Keep out of reach of children. P103 Read label before use.
Supplemental label information	EUH066 Repeated exposure may cause skin dryness or cracking.
Contains	Stoddard solvent

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures Stoddard solvent 30-60% CAS number: 8052-41-3 EC number: 232-489-3 Classification Flam. Liq. 3 - H226 STOT RE 1 - H372 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411 Hydrocarbons, C10-C12, <2% aromatics 10-30% CAS number: 90622-57-4 EC number: 923-037-2 **REACH** registration number: 01-2119471991-29xxx Classification Classification (67/548/EEC or 1999/45/EC) Flam. Liq. 3 - H226 Xn;R65. R53,R66,R10. Asp. Tox. 1 - H304 Aquatic Chronic 4 - H413 5-10% Hydrocarbons, C14-C18, <2% aromatics CAS number: 64742-47-8 EC number: 927-632-8 **REACH** registration number: 01-2119457736-27-0001

Classification Asp. Tox. 1 - H304

Classification (67/548/EEC or 1999/45/EC) Xn;R65. R66.

-			
Pine oil			< 2%
CAS number: 8002-09-3			
Classification Acute Tox. 4 - H302 Eye Irrit. 2 - H319	Classificatio Xn;R22. Xi;	on (67/548/EEC or 1999/45/EC) R36.	
Nonane			1-5%
CAS number: 111-84-2	EC number: 203-913-4	REACH registration number: 01- 2119463259-31-XXXX	
M factor (Acute) = 1			
Classification Flam. Liq. 3 - H226 Aquatic Acute 1 - H400			
1,2,4-TRIMETHYLBENZENE			1-5%
CAS number: 95-63-6	EC number: 202-436-9		
Classification Flam. Liq. 3 - H226 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 Aquatic Chronic 2 - H411		on (67/548/EEC or 1999/45/EC) 0 Xi;R36/37/38 N;R51/53	
Toluene			<1%
CAS number: 108-88-3	EC number: 203-625-9	REACH registration number: 01- 2119471310-51-XXXX	
Classification Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 Repr. 2 - H361d STOT SE 3 - H336 STOT RE 2 - H373 Asp. Tox. 1 - H304 Aquatic Chronic 3 - H412			
Derivative of Benzotriazole; EC No. 607-176-00-3	400-830-7; Index No.		<1%
CAS number: —	EC number: 400-830-7	REACH registration number: 01- 0000015075-76-XXXX	
Classification Skin Sens. 1 - H317 Aquatic Chronic 2 - H411	Classificatio R43 N;R51,	on (67/548/EEC or 1999/45/EC) /53	

SECTION 4: First aid measures 4.1. Description of first aid measures General information Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel. Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist. Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not Ingestion induce vomiting unless under the direction of medical personnel. Skin contact Rinse with water. Eve contact Rinse with water. Get medical attention if any discomfort continues. Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue. 4.2. Most important symptoms and effects, both acute and delayed **General information** The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhalation No specific symptoms known. Ingestion No specific symptoms known. Skin contact Repeated exposure may cause skin dryness or cracking. No specific symptoms known. May be slightly irritating to eyes. Eye contact 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media 5.2. Special hazards arising from the substance or mixture Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Flammable liquid and vapour. Vapours may be ignited by a spark, a hot surface or an ember. Vapours may form explosive mixtures with air. Fire-water run-off in sewers may create fire or explosion hazard. Hazardous combustion Thermal decomposition or combustion products may include the following substances: products Harmful gases or vapours. 5.3. Advice for firefighters Protective actions during Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with firefighting water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipmentWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective
clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,
protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautionsWear protective clothing as described in Section 8 of this safety data sheet. No action shall be
taken without appropriate training or involving any personal risk. Evacuate area. Provide
adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage.
Promptly remove any clothing that becomes contaminated.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Keep out of the reach of children. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Suspected of damaging the unborn child. Pregnant or breastfeeding women should not work with this product if there is any risk of exposure. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.
7.2. Conditions for safe stora	ge, including any incompatibilities
Storage precautions	Store locked up. Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.
Storage class	Flammable liquid storage.
7.3. Specific end use(s)	

Specific end use(s) The identified use

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection 8.1. Control parameters 8.2. Exposure controls Protective equipment Appropriate engineering Provide adequate ventilation. controls Eye/face protection Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Hand protection Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. Other skin and body Wear appropriate clothing to prevent any possibility of skin contact. protection Hygiene measures Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is Respiratory protection inadequate, suitable respiratory protection must be worn. Environmental exposure Keep container tightly sealed when not in use. Avoid release to the environment. controls

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physic	sical and chemical properties
Appearance	Liquid
Colour	Colourless.
Odour	Characteristic.
рН	Not applicable.
Flash point	41.°C CC (Closed cup).
Upper/lower flammability or explosive limits	: 0.9
Vapour pressure	2. mm Hg @ °C
Solubility(ies)	<0.1 @ °C Insoluble in water
Auto-ignition temperature	>250°C
Viscosity	134 s @ °C
9.2. Other information	

Other information	Not available.
SECTION 10: Stability and rea	ctivity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidising agents.
10.4. Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Static electricity and formation of sparks must be prevented.
10.5. Incompatible materials	
Materials to avoid	Oxidising materials. Acids - oxidising.
10.6. Hazardous decompositio	n products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
SECTION 11: Toxicological inf	formation
11.1. Information on toxicologi	cal effects
Acute toxicity - oral	
Notes (oral LD₅o)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	25,773.2
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
ATE inhalation (gases ppm)	266,665.09
ATE inhalation (vapours mg/l)	651.85
ATE inhalation (dusts/mists mg/l)	88.89
Skin corrosion/irritation Animal data	Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	

Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Suspected of damaging the unborn child.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	STOT RE 1 - H372 Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
General information	Avoid contact during pregnancy/while nursing. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Eye contact	No specific symptoms known.
Acute and chronic health hazards	Gas or vapour is harmful on prolonged exposure or in high concentrations.
Route of entry	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
SECTION 12: Ecological Inform	nation
Ecotoxicity	Dangerous for the environment. May cause long-term adverse effects in the aquatic environment.
12.1. Toxicity	
Toxicity	Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.
Acute toxicity - fish	Not determined.
Acute toxicity - aquatic invertebrates	Not determined.
Acute toxicity - aquatic plants	Not determined.
Acute toxicity - microorganisms	Not determined.
12.2 Persistence and degrada	bility

12.2. Persistence and degradability

WINSOR & NEWTON ARTISTS' GLOSS VARNISH / VERNIS BRILLANT POUR ARTISTES

Persistence and degradability The degradability of the product is not known.

r croicterice and degradability	
12.3. Bioaccumulative potentia	<u>u</u>
Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	
Mobility	No data available.
12.5. Results of PBT and vPvE	3 assessment
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal conside	erations
13.1. Waste treatment method	<u>S</u>
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Waste class	08 01 11* - waste paint and varnish containing organic solvents or other dangerous substances
SECTION 14: Transport inform	nation
14.1. UN number	
UN No. (ADR/RID)	1263
UN No. (IMDG)	1263
UN No. (ICAO)	1263
UN No. (ADN)	1263
14.2. UN proper shipping name	9
Proper shipping name (ADR/RID)	PAINT RELATED MATERIAL
Proper shipping name (IMDG)	PAINT RELATED MATERIAL
Proper shipping name (ICAO)	PAINT RELATED MATERIAL
Proper shipping name (ADN)	PAINT RELATED MATERIAL
14.3. Transport hazard class(e	s)
ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3

ADN class

Transport labels



14.4. Packing group		
ADR/RID packing group	III	
IMDG packing group	III	
ICAO packing group	III	
ADN packing group	III	

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

3



14.6. Special precautions for user

EmS	F-E, S-E
ADR transport category	3
Emergency Action Code	•3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended).
	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009
	No. 716).
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment
	Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
	EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
	December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH) (as amended).
	Commission Regulation (EU) No 453/2010 of 20 May 2010.
	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
	Dangerous Preparations Directive 1999/45/EC.
	Dangerous Substances Directive 67/548/EEC.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Classification procedures according to Regulation (EC) 1272/2008	STOT RE 1 - H372: : Calculation method. Aquatic Chronic 2 - H411: : Calculation method. Flam. Liq. 3 - H226: : Expert judgement.
Training advice	Read and follow manufacturer's recommendations.
Revision date	17/11/2015
Revision	5
Supersedes date	31/07/2015
SDS number	23139
Risk phrases in full	 R10 Flammable. R20 Harmful by inhalation. R22 Harmful if swallowed. R36 Irritating to eyes. R36/37/38 Irritating to eyes, respiratory system and skin. R43 May cause sensitisation by skin contact. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R53 May cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed. R66 Repeated exposure may cause skin dryness or cracking.
Hazard statements in full	 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361d Suspected of damaging the unborn child. H372 Causes damage to organs through prolonged or repeated exposure. H473 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. EUH208 Contains . May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.