

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**50 586 - Schmincke acrylic gloss lacquer**

**50 587 - Schmincke acrylic lacquer,  
satin-glossy**

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	( 13.02.20 )	Page	1 / 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name 50 586 - Schmincke acrylic gloss lacquer  
50 587 - Schmincke acrylic lacquer, satin-glossy

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### General use

Products for creation of art.

#### Uses advised against

### 1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG  
Otto-Hahn-Str. 2  
D - 40699 Erkrath  
Tel. +49 (0) 211-2509-0  
Fax. +49 (0) 211-2509-497  
info@schmincke.de  
www.schmincke.de

#### Department responsible for information

Schmincke-labor:  
mo-th 8.00-16.30, fr 8.00-13.30  
Tel. +49 (0) 211-2509-474  
labor@schmincke.de

### 1.4 Emergency telephone number

**Emergency  
Information  
Phone #**

**Emergencycall Berlin  
(24h - counseling in german and english)  
+49 (0) 30-30686700**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

### 2.2 Label elements

#### Labelling

#### Signal word

#### Hazard statements

no hazard labelling required

#### Safety precautions

#### Text for labelling (CLP)

Contains biocidal products. Contains BIT, CIT, MIT, OIT: May produce an allergic reaction.  
Full text of biocides: see section 16.

### 2.3 Other hazards

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**50 586 - Schmincke acrylic gloss lacquer**

**50 587 - Schmincke acrylic lacquer,  
satin-glossy**

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	( 13.02.20 )	Page	2 / 8

## SECTION 3: Composition / information on ingredients

### 3.1 Substances

#### Chemical characterisation

dispersion of pure acrylate  
polyurethane dispersion  
Water  
additives  
matting agents (50 587)

CAS-Number  
EINECS / ELINCS / NLP  
EU index number  
REACH registration No.  
Hazchem-Code  
CI-Number

### 3.2 Mixtures

#### Substance 1

N,N-diethylethanamine: CAS-Number: 121-44-8  
EU index number: 204-469-4  
REACH registration No.: 01-2119475467-26-XXXX  
Classification according to Directive 67/548/EEC or  
1999/45/EC:  
Nature of Hazard: / R phrase(s):  
Classification according to EC regulation 1272/2008 (CLP):  
Acute Tox. 4; H302 / Eye Dam. 1; H318 / Flam. Liq. 2;  
H225 / STOT SE 3; H335 /

#### Additional information

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

If you feel unwell, seek medical advice (show the label where possible).

#### In case of inhalation

No special measures are required.

#### In case of skin contact

Thoroughly wash skin with soap and water.  
Seek medical attention if irritation persists.

#### After eye contact

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

Seek medical attention if irritation persists.

#### After swallowing

Rinse mouth with water. Let water be drunk in little sips (dilution effect).  
If you feel unwell, seek medical advice.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 586 - Schmincke acrylic gloss lacquer 50 587 - Schmincke acrylic lacquer, satin-glossy

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	( 13.02.20 )	Page	3 / 8

### **4.2 Most important symptoms and effects, both acute and delayed**

### **4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## SECTION 5: Firefighting measures

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

#### **Extinguishing media which must not be used for safety reasons**

none

### **5.2 Special hazards arising from the substance or mixture**

In case of fire may be liberated: Carbon monoxide and carbon dioxide

### **5.3 Advice for firefighters**

#### **Special protective equipment for firefighters**

Use appropriate respiratory protection.

#### **Additional information**

## SECTION 6: Accidental release measures

### **6.1 Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin, eyes, and clothing.

### **6.2 environmental precautions**

Discharge into the environment must be avoided.

### **6.3 Methods and material for containment and cleaning up**

#### **Methods for cleaning up**

Collect spilled material using paper towels and dispose.

#### **Additional information**

### **6.4 Reference to other sections**

Dispose of waste according to applicable legislation.

## SECTION 7: Handling and storage

### **7.1 Precautions for safe handling**

#### **Advices on safe handling**

Handle in accordance with good industrial hygiene and safety practice.

#### **Precautions against fire and explosion**

No special measures are required.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Requirements for storerooms and containers**

#### **Hints on joint storage**

#### **Storage class**

#### **Further details**

Protect from frost and exposure to sun.

### **7.3 Specific end use(s)**

## SECTION 8: Exposure controls/personal protection

### **8.1 Control parameters**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 586 - Schmincke acrylic gloss lacquer 50 587 - Schmincke acrylic lacquer, satin-glossy

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	( 13.02.20 )	Page	4 / 8

### 8.2 Exposure controls

#### Occupational exposure controls

##### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

##### Hand protection

Protect skin by using skin protective cream.

##### Eye protection

Goggles

##### Body protection

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

##### General protection and hygiene measures

After work, wash hands and face.

## SECTION 9: Physical and chemical properties

### 9.1 information on basic physical and chemical properties

Form	pasty
Colour	whitish
Odour	almost odourless

	min	max	
Initial boiling point and boiling range			
Melting point/freezing point			
Flash point/flash point range			
Flammability			
Ignition temperature			
Auto-ignition temperature			
Explosion limits			
Refraction index			
PH value	8		20 °C
Viscosity			
Viscosity			
Vapour pressure			
Density		1,1 g/ml	20 °C
Partition coefficient: n-octanol/water			

Danger of explosion

### 9.2 Other information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Product is stable under normal storage conditions.

### 10.2 Chemical stability

### 10.3 Possibility of hazardous reactions

### 10.4 Conditions to avoid

Protect from frost and exposure to sun.

### 10.5 Incompatible materials

### 10.6 Hazardous decomposition products

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 586 - Schmincke acrylic gloss lacquer 50 587 - Schmincke acrylic lacquer, satin-glossy

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	( 13.02.20 )	Page	5 / 8

Hazardous vapours may form during fires.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

No data available

##### In case of inhalation

No data available

##### After swallowing

No data available

##### In case of skin contact

No data available

##### After eye contact

No data available

#### Practical experience

#### General remarks

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Aquatic toxicity

No data available

##### Water Hazard Class

1

##### WGK catalog number

##### General information

#### 12.2 Persistence and degradability

##### Further details

Product is partially biodegradable.

##### Oxygen demand

#### 12.3 Bioaccumulative potential

##### Bioconcentration factor (BCF)

Partition coefficient: n-octanol/water

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

No data available

#### 12.6 Other adverse effects

##### General information

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Product

##### Waste key number

080112

080112 waste paint and varnish other than those mentioned in 080111

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 586 - Schmincke acrylic gloss lacquer 50 587 - Schmincke acrylic lacquer, satin-glossy

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	( 13.02.20 )	Page	6 / 8

Recommendation

### Contaminated packaging

Waste key number

Recommendation

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### Additional information

## SECTION 14: Transport information

### 14.1 UN number

### 14.2 UN proper shipping name

ADR, ADN No dangerous good in sense of these transport regulations.  
IMDG, IATA

### 14.3 Transport hazard class(es)

ADR, ADN  
IMDG  
IATA

### 14.4 Packing group

### 14.5 Environmental hazards

Marine Pollutant - IMDG

### 14.6 Special precautions for user

#### Land transport (ADR/RID)

Code: ADR/RID  
Kemmler-number  
Hazard label ADR  
Limited quantities  
Contaminated packaging: Instructions  
Contaminated packaging: Special provisions  
Special provisions for packing together  
Portable tanks: Instructions  
Portable tanks: Special provisions  
Tank coding  
Tunnel restriction  
Remarks  
EQ  
Special provisions

#### Sea transport (IMDG)

EmS  
Special provisions  
Limited quantities  
Contaminated packaging: Instructions  
Contaminated packaging: Special provisions  
IBC: Instructions  
IBC: Provisions  
Tank instructions IMO  
Tank instructions UN  
Tank instructions Special provisions  
Stowage and segregation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 586 - Schmincke acrylic gloss lacquer 50 587 - Schmincke acrylic lacquer, satin-glossy

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	( 13.02.20 )	Page	7 / 8

Properties and observations

Remarks

EQ

### Air transport (IATA-DGR)

Hazard

Passenger

Passenger LQ

Cargo

ERG

Remarks

EQ

Special Provisioning

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Europe

Contents of VOC [%]

Contents of VOC

[g/L]

Further regulations, limitations and legal requirements

##### Germany

Storage class

Water Hazard Class 1

WGK catalog number

Incident regulation

Information on working limitations

Further regulations, limitations and legal requirements

##### Denmark

Further regulations, limitations and legal requirements

##### Hungary

Further regulations, limitations and legal requirements

##### Great Britain

Further regulations, limitations and legal requirements

##### Switzerland

Contents of VOC [%]

0 %

Further regulations, limitations and legal requirements

##### USA

Further regulations, limitations and legal requirements

Federal Regulations

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**50 586 - Schmincke acrylic gloss lacquer**

**50 587 - Schmincke acrylic lacquer,  
satin-glossy**

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	( 13.02.20 )	Page	8 / 8

## State Regulations

### Japan

Further regulations, limitations and legal requirements

### Canada

Further regulations, limitations and legal requirements

## 15.2 Chemical Safety Assessment

## SECTION 16: Other information

### Further information

#### Hazard statements (CLP)

H225 Highly flammable liquid and vapour.  
H302 Harmful if swallowed.  
H311 Toxic in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H331 Toxic if inhaled.  
H335 May cause respiratory irritation.

#### Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

#### Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### Reason of change

#### Additional information

BIT - 1,2-benzisothiazol-3(2H)-one  
CIT - 5-chloro-2-methyl-4-isothiazolin-3-one  
MIT - 2-methyl-2H-isothiazol-3-one  
OIT - 2-octyl-2H-isothiazol-3-one