This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 15-Nov-2022 Print Date: 25-Oct-2023

Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name:	Gerstäcker - Terpentinersatz
Article number:	34775, 34776, 34793

UFI:

9819-TN9G-6J0J-STHF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product categories [PC]:	PC9 - Coatings and paints, fillers, putties, thinners
	PC 0.56 - Solvent

1.3. Details of the supplier of the safety data sheet

Supplier:	Johannes Gerstäcker Verlag GmbH Wecostraße 4 D - 53783 Eitorf Telefon: +49 2243/ 88995 Telefax: +49 2243/ 88945 www.gerstaecker.com
– 11 11	

E-mail address Gerstaecker.sdb@gerstaecker.com

1.4. Emergency telephone number

Emergency Telephone:

poisson center North: +49 551 / 192 40 or +49 551 / 38 31 80

Emergency Telephone - §45 - (EC)	1272/2008
Europe	112
Austria	+43 1 406 43 43 (Giftinformationszentrale)
Bulgaria	+359 2 9154 213 (Pirogov)
Slovakia	+421 2 5477 4166 (NTIC)
Hungary	+36 80 201 199; +36 1 476 6464 (ETTSZ)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Flammable liquids	Category 3 - (H226)
Aspiration hazard	Category 1 - (H304)
Specific target organ toxicity (single exposure)	Category 3 - (H336)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements

Gerstaecker 😼

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 15-Nov-2022

Print Date: 25-Oct-2023

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793



Signal word: Danger

Hazard components for labeling:

Contains hydrocarbons, C9 - 10, n.alkanes, i-alkanes, cyclics, < 2% aromates, Hydrocarbons, C9, aromats

Hazard statements:

H226 - Flammable liquid and vapor.

H304 - May be fatal if swallowed and enters airways.

H336 - May cause drowsiness or dizziness.

H412 - Harmful to aquatic life with long lasting effects.

EU Specific Hazard Statements:

EUH066 - Repeated exposure may cause skin dryness or cracking.

Precautionary Statements - EU (§28, 1272/2008):

P101 - If medical advice is needed, have product container or label at hand

- P102 Keep out of reach of children
- P271 Use only outdoors or in a well-ventilated area
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor
- P331 Do NOT induce vomiting
- P405 Store locked up
- P501 Dispose of contents/ container to an approved waste disposal plant

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Additional information:

This product is exempt from the requirement for a child resistant fastening and tactile warning of danger, as it is an aspiration hazard, placed on the market in the form of an aerosol or in a container with a sealed spray attachment.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No	EC No (EU Index No)	REACH registration number	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Weight-%
hydrocarbons, C9 - 10, n.alkanes, i-alkanes, cyclics, < 2% aromates	-	927-241-2	01-2119471843-32	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) STOT SE 3 (H336)	75 - < 100



Revision Number: 1

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022

Print Date: 25-Oct-2023

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

				Aquatic Chronic 3 (H412) (EUH066)	
Hydrocarbons, C9, aromats	-	918-668-5	01-2119455851-35	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) STOT SE 3 (H335) STOT SE 3 (H336) Aquatic Chronic 2 (H411) (EUH066)	10 - < 25
Isopropylbenzene	98-82-8	202-704-5 (601-024-00- X)	01-2119473983-24	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) STOT SE 3 (H335) Aquatic Chronic 2 (H411)	0.1 - < 0.25
Benzene	71-43-2	200-753-7 (601-020-00- 8)	01-2119447106-44	Flam. Liq. 2 (H225) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Muta. 1B (H340) Carc. 1A (H350) STOT RE 1 (H372)	0.005 - < 0.01

Chemical name	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Isopropylbenzene 98-82-8				С
Benzene 71-43-2				E

Acute Toxicity Estimate:

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
hydrocarbons, C9 - 10, n.alkanes, i-alkanes, cyclics, < 2% aromates -	2001	2001	No data available	No data available	No data available
Hydrocarbons, C9, aromats	3592	3200	No data available	No data available	No data available
lsopropylbenzene 98-82-8	1400	10578	39	21.557	No data available
Benzene 71-43-2	1800	8208.2	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

Gerstaecker 🛿

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022 **Print Date:** 25-Oct-2023

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

4.1. Description of first aid measures

General advice:	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation:	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur.
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact:	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion:	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.
Self-protection of the first aider:	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
4.2. Most important symptom	ms and effects, both acute and delayed
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Effects of Exposure	No information available.
4.3. Indication of any immed	liate medical attention and special treatment needed
Note to physicians:	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media:	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.
Large Fire:	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media:	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the	Risk of ignition. Keep product and empty container away from heat and sources of
chemical:	ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022 **Print Date:** 25-Oct-2023



Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters: Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions:	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other information:	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders:	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions: Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment:	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up:	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
Prevention of secondary hazards:	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections: See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Advice on safe handling:

Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022

Print Date: 25-Oct-2023

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment.
 General hygiene considerations:
 Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

7.3. Specific end use(s)

Other information:

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Isopropylbenzene	STEL: 250 mg/m ³	TWA: 10 ppm	TWA: 20 ppm	STEL: 50 ppm	TWA: 10 ppm
98-82-8	STEL: 50 ppm	TWA: 50 mg/m ³	TWA: 100 mg/m ³	STEL: 250 mg/m ³	TWA: 50 mg/m ³
	TWA: 50 mg/m ³	STEL 50 ppm	STEL: 50 ppm	TWA: 10 ppm	STEL: 50 ppm
	TWA: 10 ppm	STEL 250 mg/m ³	STEL: 250 mg/m ³	TWA: 50 mg/m ³	STEL: 250 mg/m ³
	*	H*	D*	K*	*
Benzene	TWA: 0.2 ppm	H*	TWA: 1 ppm	TWA: 3.25 mg/m ³	TWA: 1 ppm
71-43-2	TWA: 0.66 mg/m ³		TWA: 3.25 mg/m ³	TWA: 1 ppm	TWA: 3.25 mg/m ³
	*		D*	K*	*
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Isopropylbenzene	*	TWA: 100 mg/m ³	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm
98-82-8	STEL: 50 ppm	Ceiling: 250 mg/m ³	TWA: 50 mg/m ³	TWA: 50 mg/m ³	TWA: 50 mg/m ³
	STEL: 250 mg/m ³	D*	H*	STEL: 50 ppm	STEL: 50 ppm
	TWA: 20 ppm			STEL: 250 mg/m ³	STEL: 250 mg/m ³
	TWA: 100 mg/m ³			A*	iho*
Benzene	*	TWA: 3 mg/m ³	TWA: 0.5 ppm	TWA: 0.5 ppm	TWA: 1 ppm
71-43-2	TWA: 1 ppm	Ceiling: 10 mg/m ³	TWA: 1.6 mg/m ³	TWA: 1.5 mg/m ³	TWA: 3.25 mg/m ³
	TWA: 3.25 mg/m ³	D*	H*	STEL: 3 ppm	iho*
				STEL: 9 mg/m ³	
				A*	
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
hydrocarbons, C9 - 10,			TWA: 50 ppm		
n.alkanes, i-alkanes, cyclics,			TWA: 300 mg/m ³		
< 2% aromates			Ceiling / Peak: 100		
-			ppm		
			Ceiling / Peak: 600		
			mg/m ³		



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022 **Print Date:** 25-Oct-2023

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

			RCP: C9-14 aliphates: STEL: 300 mg/m ³ - 2(II)		
Hydrocarbons, C9, aromats -		RCP: C9-14 aromates: STEL: 50 mg/m ³ - 2(II)	RCP: C9-14 aromates: STEL: 50 mg/m ³ - 2(II)		
lsopropylbenzene 98-82-8	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ *	TWA: 10 ppm TWA: 50 mg/m ³ H*	TWA: 10 ppm TWA: 50 mg/m ³ Peak: 40 ppm Peak: 200 mg/m ³ *	TWA: 50 ppm TWA: 245 mg/m ³ STEL: 75 ppm STEL: 370 mg/m ³	TWA: 50 mg/m ³ STEL: 250 mg/m ³ b*
Benzene 71-43-2	TWA: 1 ppm TWA: 3.25 mg/m ³ STEL: 1500 mg/m ³ *	H*	*	TWA: 3.25 mg/m ³ TWA: 1.0 ppm *	TWA: 3.25 mg/m³ b*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
lsopropylbenzene 98-82-8	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 20 ppm TWA: 100 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ cute*	TWA: 50 ppm TWA: 246 mg/m³	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Ada*	O* TWA: 50 mg/m ³ TWA: 10 ppm STEL: 170 mg/m ³ STEL: 35 ppm
Benzene 71-43-2	TWA: 1 ppm TWA: 3.25 mg/m ³ STEL: 3 ppm STEL: 9.75 mg/m ³ Sk*	TWA: 3.25 mg/m ³ TWA: 1 ppm cute*	TWA: 0.5 ppm TWA: 1.6 mg/m ³ STEL: 2.5 ppm STEL: 8 mg/m ³ cute*	TWA: 1 ppm TWA: 3.25 mg/m³ Ada*	O* TWA: 1 ppm TWA: 3.25 mg/m ³ STEL: 6 ppm STEL: 19 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Isopropylbenzene 98-82-8	Peau* STEL: 50 ppm STEL: 250 mg/m ³ TWA: 20 ppm TWA: 100 mg/m ³	skin* STEL: 50 ppm STEL: 250 mg/m ³ TWA: 20 ppm TWA: 100 mg/m ³	TWA: 50 mg/m ³ STEL: 250 mg/m ³ H*	TWA: 50 mg/m ³ TWA: 10 ppm STEL: 250 mg/m ³ STEL: 50 ppm H*	STEL: 250 mg/m ³ TWA: 50 mg/m ³ skóra*
Benzene 71-43-2			TWA: 0.7 mg/m³ H*	TWA: 0.2 ppm TWA: 0.66 mg/m ³ STEL: 0.6 ppm STEL: 1.98 mg/m ³ H*	TWA: 1.6 mg/m ³ skóra*
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
lsopropylbenzene 98-82-8	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Cutânea*	TWA: 20 ppm TWA: 100 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ P*	TWA: 20 ppm TWA: 500 mg/m ³ K* Ceiling: 250 mg/m ³	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ K*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ vía dérmica*
Benzene 71-43-2	TWA: 1 ppm TWA: 3.25 mg/m ³ STEL: 2.5 ppm Cutânea*	TWA: 1 ppm TWA: 3.25 mg/m ³ P*	TWA: 1.0 ppm TWA: 3.25 mg/m ³ STEL: 5.0 ppm STEL: 16.25 mg/m ³ K*	TWA: 1 ppm TWA: 3.25 mg/m ³ K*	TWA: 1 ppm TWA: 3.25 mg/m ³ vía dérmica*
Chemical name	Sweden	Switzerland	United Kingdom	Russia	Turkey
lsopropylbenzene 98-82-8	NGV: 10 ppm NGV: 50 mg/m ³ Bindande KGV: 50 ppm Bindande KGV: 250 mg/m ³	TWA: 20 ppm TWA: 100 mg/m ³ STEL: 80 ppm STEL: 400 mg/m ³ H [*]	TWA: 25 ppm TWA: 125 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk [*]	TWA: 50 mg/m ³ MAC: 150 mg/m ³	TWA: 20 ppm TWA: 100 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ S [*]
Benzene 71-43-2	NGV: 0.5 ppm NGV: 1.5 mg/m ³ Bindande KGV: 3 ppm Bindande KGV: 9 mg/m ³	TWA: 0.2 ppm TWA: 0.7 mg/m³ H*	TWA: 1 ppm TWA: 3.25 mg/m ³ STEL: 3 ppm STEL: 9.75 mg/m ³ Sk [*]	TWA: 5 mg/m³ MAC: 15 mg/m³ Skin	TWA: 1 ppm TWA: 3.25 mg/m ³ S [*]

Biological occupational exposure



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022

Print Date: 25-Oct-2023

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

limits:

Chemical name	European Union	Germany DFG	Netherlands	Spain	United Kingdom	Hungary
Isopropylbenzene	-	10 mg/g Creatinine		7 mg/g Creatinine -	-	
98-82-8		(urine -		urine		
		2-Phenyl-2-propan		(2-Phenyl-2-propa		
		ol (after hydrolysis)		nol) - end of shift		
		end of shift)				
		10 mg/g Creatinine				
		- BAT (end of				
		exposure or end of				
		shift) urine				
Benzene	-	0.3 µg/g Creatinine		0.045 mg/g	-	0.04 mg/g
71-43-2		- BAR (end of		Creatinine - urine		Creatinine (urine
		exposure or end of		(S-Phenyl		s-Phenyl
		shift) urine		mercapturic acid) -		mercapturic acid
		150 µg/g		end of exposure or		end of shift)
		Creatinine - BAR		end of shift		0.22 µmol/mmol
		(end of exposure		2 mg/L - urine		Creatinine (urine
		or end of shift)		(trans,		s-Phenyl
		urine		trans-Muconic		mercapturic acid
		0.3 µg/L - BAR		acid) - end of		end of shift)
		(end of exposure		exposure or end of		
		or end of shift)		shift		
		urine				
		0.5 µg/L - (end of				
		exposure or end of				
		shift) - urine				
		0.8 µg/L - (end of				
		exposure or end of				
		shift) - urine				
		1.5 µg/L - (end of				
		exposure or end of				
		shift) - urine				
		2.75 µg/L - (end				
		of exposure or end				
		of shift) - urine				
		5.0 µg/L - (end of				
		exposure or end of				
		shift) - urine				
		7.5 µg/L - (end of				
		exposure or end of				
		shift) - urine				
		12.5 µg/L - (end				
		of exposure or end of shift) - urine				
		300 µg/g				
		Creatinine - (end				
		of exposure or end				
		of shift) - urine				
		500 µg/g				
		Creatinine - (end				
		of exposure or end				
		of shift) - urine				
		750 μg/g				
		Creatinine - (end of exposure or end				
		of shift) - urine				
		1200 µg/g Croatining (and				
		Creatinine - (end				
		of exposure or end				
		of shift) - urine				
		1.5 µg/g Creatinine				
		 (end of exposure) 				



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 Revision date: 15-Nov-2022

Print Date: 25-Oct-2023

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

Chemical name	European Union	Germany DFG	Netherlands	Spain	United Kingdom	Hungary
		or end of shift) -				
		urine				
		3 µg/g Creatinine -				
		(end of exposure				
		or end of shift) -				
		urine				
		5 µg/g Creatinine -				
		(end of exposure				
		or end of shift) -				
		urine				
		12 µg/g Creatinine				
		 (end of exposure) 				
		or end of shift) -				
		urine				
		25 µg/g Creatinine				
		 (end of exposure) 				
		or end of shift) -				
		urine				
		45 µg/g Creatinine				
		 (end of exposure) 				
		or end of shift) -				
		urine				
		90 µg/g Creatinine				
		 (end of exposure) 				
		or end of shift) -				
		urine				

Chemical name	France	Italy MDLPS	Portugal	Finland	Denmark	Czech Republic
Benzene 71-43-2	5 mg/L - urine (Muconic acid) - end of shift	-	-			

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
Isopropylbenzene	-	20 mg/g creatinine	-	-	-	
98-82-8		- urine				
		(2-Phenyl-2-propa				
		nol after				
		hydrolysis) - end of				
		shift				
		16.6 µmol/mmol				
		creatinine - urine				
		(2-Phenyl-2-propa				
		nol after				
		hydrolysis) - end of				
		shift				
Benzene		25 µg/g creatinine -	-	-	25 µg/g Creatinine	
71-43-2	Hemoglobin (blood				(urine -	
	 by the first 	(S-Phenyl-mercapt			s-Phenylmercaptu	
	screening and	uric acid) - end of			ric acid end of	
	once yearly or for				shift)	
	work in cokery	0.01 µmol/mmol			500 µg/g	
	plants every six	creatinine - urine			Creatinine (urine -	
	months)	(S-Phenyl-mercapt			t,t-Muconic acid	
	12 g/dL	uric acid) - end of			end of shift)	
	Hemoglobin (blood					
		500 µg/g creatinine				
	screening and	- urine (t,t-Muconic				
		acid) - end of shift				
	work in cokery	0.4 µmol/mmol				
	plants every six	creatinine - urine				
		(t,t-Muconic acid) -				
	79 - 97 fL mean	end of shift				



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022 **Print Date:** 25-Oct-2023

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
	corpuscular					
	volume (blood -					
	by the first					
	screening and					
	once yearly or for					
	work in cokery					
	plants every six					
	months)					
	3.8 million/µL					
	Erythrocytes (blood					
	- by the first					
	screening and					
	once yearly or for					
	work in cokery					
	plants every six					
	months)					
	3.2 million/µL					
	Erythrocytes (blood					
	- by the first					
	screening and					
	once yearly or for					
	work in cokery					
	plants every six					
	months)					
	13000					
	Leukocytes/µL					
	(blood - by the					
	first screening and					
	once yearly or for					
	work in cokery					
	plants every six					
	months)					
	4000					
	Leukocytes/µL					
	(blood - by the					
	first screening and					
	once yearly or for					
	work in cokery					
	plants every six					
	months)					
	130000					
	Thrombocytes/µL					
	(blood - by the					
	first screening and					
	once yearly or for					
	work in cokery					
	plants every six					
	months)					
	150000					
	Thrombocytes/µL					
	(blood - by the					
	first screening and					
	once yearly or for					
	work in cokery					
	plants every six					
	months)					
	1.6 mg/L (urine -					
	t,t-Muconic acid					
	after end of work					
	day, at the end of a					
1	work week/end of					
	the shift)					



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022

Print Date: 25-Oct-2023

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

Derived No Effect Level (DNEL):

component information:

Worker - inhalative:

Chemical name	long-term, systemic	short-term, systemic	long-term, local	short-term, local
Isopropylbenzene	100 mg/m ³			250 mg/m ³

Worker - dermal:

Chemical name	long-term, systemic	short-term, systemic	long-term, local	short-term, local
Isopropylbenzene	15.4 mg/kg bw/day			

Consumer - inhalative:

Chemical name	long-term, systemic	short-term, systemic	long-term, local	short-term, local
Isopropylbenzene	16.6 mg/m ³			

Consumer - dermal:

Chemical name	long-term, systemic	short-term, systemic	long-term, local	short-term, local
Isopropylbenzene	1.2 mg/kg bw/day			

Consumer - oral:

Chemical name	long-term, systemic	short-term, systemic	long-term, local	short-term, local
Isopropylbenzene	5 mg/kg bw/day			

Predicted No Effect Concentration (PNEC): No information available

component information:

Chemical name	Isopropylbenzene CAS: 98-82-8
Freshwater	0.035 mg/L
Marine water	0.0035 mg/L
Freshwater (intermittent release)	0.012 mg/L
Sewage treatment	200 mg/L
Freshwater sediment	3.22 mg/kg sediment dw
Marine sediment	0.322 mg/kg sediment dw
Soil	0.624 mg/kg soil dw

8.2. Exposure controls

Engineering controls:

Showers, eyewash stations, and ventilation systems.

Personal protective equipment:

The usual precautionary measures for the handling of chemicals have to be observed.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 15-Nov-2022

Print Date: 25-Oct-2023

Gere

Gerstaecker

Gerstäcker - Terpentinersatz - 34775, 34776, 34793



Eye/face protection:

Tight sealing safety goggles.

Hand protection:

Wear suitable gloves. Impervious gloves.

PPE - Glove material		Glove thickness	Break through time
FKM (fluoro rubber)		0.4 mm	>=480 min.
Skin and body protection:	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.		
Respiratory protection:	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.		
Recommended Filter Type:	Filtering d	evice (full mask or mouthpiec) with filter	: AP-2
Environmental exposure controls:	No inform	ation available.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Color Odor	Liqui color chara					
Melting point / melting range Boiling point / boiling range Flammability Decomposition temperature Flash point Autoignition temperature Lower explosive limit Upper explosion limit Vapor pressure Density Water solubility pH pH (as aqueous solution) Partition coefficient Kinematic viscosity Odor threshold Relative density Evaporation rate Relative vapor density Particle Size Particle Size Distribution	no da	145 - 185 42 240 0.6 6.5 1100 0.785 20.5 20.5	°C °C Vol% Vol% hPa g/cm³	Conditions 50 °C 20 °C 40 °C	Method	Remarks Not established Not established not relevant Immiscible Not applicable Not established Not established Not established Not established
9.2. Other information						

Bulk density:

no data available

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022 **Print Date:** 25-Oct-2023 Gerstaecker 💋

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

Softening point	No information available
Molecular weight	No information available

9.2.1. Information with regard to physical hazard classes:

Explosive properties	No data available
Oxidizing properties	No data available

9.2.2. Other safety characteristics: No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity:

No information available.

10.2. Chemical stability

Stability:	Stable under normal conditions.
Explosion data:	Nerre

Sensitivity to mechanical impact:	None.
Sensitivity to static discharge:	Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: None under normal processing.

10.4. Conditions to avoid

Conditions to avoid: Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials: None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products: None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure:

Product Information:	
Inhalation:	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact:	Specific test data for the substance or mixture is not available. May cause irritation.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022

Print Date: 25-Oct-2023

Revision Number: 1

Gerstaecker

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

Skin contact:Repeated exposure may cause skin dryness or cracking.Ingestion:Specific test data for the substance or mixture is not available. Potential for aspiration if
swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary
edema and pneumonitis. May be fatal if swallowed and enters airways.Symptoms related to the physical, chemical and toxicological characteristics:Symptoms:Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapor
concentrations may cause symptoms like headache, dizziness, tiredness, nausea and
vomiting.

Numerical measures of toxicity:

Acute toxicity: The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral):	2,440.20	mg/kg
ATEmix (dermal):	2,440.20	mg/kg

Component Information:

Chemical name	Parameter	Species	Effective dose	Method
hydrocarbons, C9 - 10, n.alkanes, i-alkanes, cyclics, < 2% aromates -	Oral LD50	Rat	> 5000 mg/kg	OECD 401
Hydrocarbons, C9, aromats -	Oral LD50	Rat	3592 mg/kg	OECD 401
lsopropylbenzene 98-82-8	Oral LD50	Rat	1400 mg/kg	
Benzene 71-43-2	Oral LD50	Rat	1800 mg/kg	

Chemical name	Parameters	Species	Effective dose	Method
hydrocarbons, C9 - 10, n.alkanes, i-alkanes, cyclics, < 2% aromates -	Dermal LD50	Rabbit	> 2000 mg/kg	OECD 402
Hydrocarbons, C9, aromats -	Dermal LD50	Rabbit	> 3160 mg/kg	OECD 402
Isopropylbenzene 98-82-8	Dermal LD50	Rabbit	12300 µL/kg	
Benzene 71-43-2	Dermal LD50	Rabbit	> 8200 mg/kg	

Chemical name	Parameters	Species	Effective dose	Exposure time	Method
hydrocarbons, C9 - 10, n.alkanes, i-alkanes, cyclics, < 2% aromates -	Inhalation LC50	Rat	> 5000 mg/m³	8 h	OECD 403
Isopropylbenzene 98-82-8	Inhalation LC50	Rat	39000 mg/m ³	4 h	
Benzene 71-43-2	Inhalation LC50	Rat	44.66 mg/L	4 h	

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022

Print Date: 25-Oct-2023

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Skin corrosion/irritation:	No information available.
Serious eye damage/eye irritation:	No information available.
Respiratory or skin sensitization:	No information available.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
Benzene	Muta. 1B
71-43-2	

Carcinogenicity:

Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Isopropylbenzene	Carc. 1B
Benzene	Carc. 1A

Reproductive toxicity:

STOT - single exposure:

STOT - repeated exposure:

May be fatal if swallowed and enters airways.

May cause drowsiness or dizziness.

No information available.

No information available.

Aspiration hazard:

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No information available.

11.2.2. Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity: Harmful to aquatic life with long lasting effects.

fish toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
hydrocarbons, C9 - 10, n.alkanes, i-alkanes, cyclics, < 2% aromates -	LL50	Oncorhynchus mykiss	10 - 30 mg/L	96 h	
Hydrocarbons, C9,	LC50	Oncorhynchus	9.22 mg/L	96 h	

Gerstaecker 💋

Revision Number: 1



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022

Print Date: 25-Oct-2023

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
aromats		mykiss			
-					
Isopropylbenzene	LC50	Pimephales	6.04 - 6.61 mg/L	96 h	
98-82-8		promelas	2.7 mg/L		
		Oncorhynchus	5.1 mg/L		
		mykiss	_		
		Poecilia reticulata			
Benzene	LC50	Pimephales	10.7 - 14.7 mg/L	96 h	
71-43-2		promelas	5.3 mg/L		
		Oncorhynchus	22.49 mg/L		
		mykiss	70000 - 142000 µg/L		
		Lepomis			
		macrochirus			
		Poecilia reticulata			

toxicity to crustacea:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
hydrocarbons, C9 - 10, n.alkanes, i-alkanes, cyclics, < 2% aromates -	EL50	Daphnia magna	22 - 46 mg/L	48 h	
Hydrocarbons, C9, aromats -	EC50	Daphnia magna	6.14 mg/L	48 h	
Isopropylbenzene 98-82-8	EC50	Daphnia magna	7.9 - 14.1 mg/L	48 h	
Benzene 71-43-2	EC50	Daphnia magna	8.76 - 15.6 mg/L	48 h	

Algae Toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
hydrocarbons, C9 - 10, n.alkanes, i-alkanes, cyclics, < 2% aromates -	EL50	Pseudokirchneri ella subcapitata	> 1000 mg/L	72 h	
Hydrocarbons, C9, aromats -	EL50	Pseudokirchneri ella subcapitata	2.6 - 2.9 mg/L	72 h	
Isopropylbenzene 98-82-8	EC50	Pseudokirchneri ella subcapitata	2.6 mg/L	72 h	
Benzene 71-43-2	EC50	Pseudokirchneri ella subcapitata	29 mg/L	72 h	

12.2. Persistence and degradability

Persistence and degradability:

Chemical name	degradation rate	test duration	Rapidly biodegradable	Remarks	Method
hydrocarbons, C9 - 10,	89 %	28 d	Yes		



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022 **Print Date:** 25-Oct-2023

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

Chemical name	degradation rate	test duration	Rapidly biodegradable	Remarks	Method
n.alkanes, i-alkanes, cyclics, < 2% aromates -					
Hydrocarbons, C9, aromats -	78 %	28 d	Yes		

12.3. Bioaccumulative potential

Bioaccumulation:

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
hydrocarbons, C9 - 10, n.alkanes, i-alkanes,	1.99	
cyclics, < 2% aromates		
-		
Hydrocarbons, C9, aromats	3.9	
-		
Isopropylbenzene	3.7	35.5
98-82-8		
Benzene	2.1	4.4
71-43-2		

12.4. Mobility in soil

Mobility in soil: No information available.

Mobility: No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment: No information available

Chemical name	PBT and vPvB assessment
Hydrocarbons, C9, aromats	The substance is not PBT / vPvB
-	
Isopropylbenzene	The substance is not PBT / vPvB
98-82-8	
Benzene	The substance is not PBT / vPvB
71-43-2	

12.6. Endocrine disrupting properties.

No information available.

12.7. Other adverse effects.

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused Should not be released into the environment. Dispose of in accordance with local

Gerstaecker

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 Revision date: 15-Nov-2022

Print Date: 25-Oct-2023

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

products:	regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging:	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

Waste codes / waste designations according to EWC / AVV: 07 01 04* (other organic solvents, washing liquids and mother liquors)

SECTION 14: Transport information

14.1. UN number

ADR:	UN1300
RID:	UN1300
IMDG:	UN1300
IATA:	UN1300

14.2 UN proper shipping name

ADR: TURPENTINE SUBSTITUTE UN1300, TURPENTINE SUBSTITUTE, 3, III, Environmentally Hazardous

RID: TURPENTINE SUBSTITUTE UN1300, TURPENTINE SUBSTITUTE, 3, III, Environmentally Hazardous

IMDG: TURPENTINE SUBSTITUTE UN1300, TURPENTINE SUBSTITUTE, 3, III, (42°C C.C.), MARINE POLLUTANT

IATA:

TURPENTINE SUBSTITUTE UN1300, TURPENTINE SUBSTITUTE, 3, III

14.3. Transport hazard class(es)

ADR: Hazard label(s) Classification code ADR Hazard Id (Kemmler Number)	3 3 F1 30
Tunnel restriction code	(D/E)
Limited quantity (LQ)	5 L
Excepted quantity	E1
RID:	3
Labels	3
Classification code	F1
IMDG:	3
Hazard label(s)	3
Limited quantity (LQ)	5 L
Excepted quantity	E1
EmS-No.	F-E, S-E
IATA:	3
Hazard label(s)	3
Excepted quantity	E1

14.4. Packing group



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022

Print Date: 25-Oct-2023

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

ADR:	111
RID:	111
IMDG:	111
IATA:	111

14.5. Environmental hazards

ADR:	Yes
RID:	Yes
IMDG:	Yes
IATA:	Yes

14.6. Special precautions for user

ADR: Special Provisions: RID: Special Provisions: IMDG:	Not regulated None Not regulated None
Special Provisions: IATA:	223
Special Provisions: ERG Code	A3 3L

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union:

Regulation (EC) No. 1907/2006 (Annex II - (EC) No. 2020/878) and Regulation (EC) No. 1272/2008

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work: Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken

Authorizations and/or restrictions on use:

• This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Substance subject to authorization per REACH Annex XIV	Restricted substance per REACH Annex XVII
hydrocarbons, C9 - 10, n.alkanes, i-alkanes,		28.
cyclics, < 2% aromates		29.
-		
Hydrocarbons, C9, aromats		3.
-		40.
Isopropylbenzene		3.



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022

Print Date: 25-Oct-2023

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

98-82-8	40.
Benzene	72.
Benzene 71-43-2	5.
	28.
	29.

Persistent Organic Pollutants: (EC) 2019/1021 Not applicable

Export Notification requirements: This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 -
	Annex Number
Benzene	l.1
71-43-2	

Dangerous substance category per Seveso Directive (2012/18/EU): P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS

Ozone-depleting substances (ODS) regulation (EC) 1005/2009: Not applicable

EU - Water Framework Directive (2000/60/EC):

Chemical name	EU - Water Framework Directive (2000/60/EC)
Benzene	Priority substance
71-43-2	
EU - Environmental Quality Standards (2008/105/EC):	
Chemical name	EU - Environmental Quality Standards (2008/105/EC)
Benzene	Priority Substance ([4])
71-43-2	
volatile organic compounds (VOC) content:	
acc. reg. 2010/75/EC (20°C):	100 %
acc. reg. 2004/42/EC (Decopaint):	785 g/L

National regulations:

Denmark:

Chemical name	Denmark - MAL
Isopropylbenzene	25 m3/10 g substance MAL factor
98-82-8	>0 % by weight [1]
Benzene	880 m3/10 g substance MAL factor
71-43-2	>=0.1 % by weight [6]

Germany:

Water hazard class (WGK): obviously hazardous to water (WGK 2) - Classification according to AwSV

Chemical name	WGK Classification (AwSV)	ID number
hydrocarbons, C9 - 10, n.alkanes, i-alkanes, cyclics, < 2% aromates -	1	-
Hydrocarbons, C9, aromats -	2	775
Isopropylbenzene 98-82-8	1	58
Benzene	3	29

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022

Print Date: 25-Oct-2023

Revision Number: 1

Gerstaecker

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

71-43-2

TA Luft (German Air Pollution Control Regulation): org. substances (Ziffer 5.2.5):

95 - 100%

Storage class (TRGS 510): LGK 3 - Flammable liquids

France:

Occupational Illnesses (R-463-3, France):

Chemical name	French RG number
Hydrocarbons, C9, aromats	RG 84
-	
Isopropylbenzene	RG 84
98-82-8	
Benzene	RG 4, RG 4bis, RG 84
71-43-2	

RG 4 - Blood diseases caused by benzene and any benzene-containing products

RG 4bis - Gastrointestinal conditions caused by benzene, toluene, xylenes, and any products containing them

RG 84 - Conditions caused by occupational use of liquid organic solvents

Netherlands:

Chemical name	Isopropylbenzene
Netherlands - List of Carcinogens	Present
	Х
ZZS list: SVHC	x ()
Chemical name	Benzene
Netherlands - List of Carcinogens	Present
	Х
Netherlands - List of Mutagens	Present

B4

Water contaminating class (Netherlands):

Austria:

ZZS list: SVHC

Flammable Liquids Regulations, VbF

Flammable liquids Cat. 3

x ()

Poland:

Ordinance of the Minister of Family, Labor and Social Policy dated June 12, 2018 on the highest permissible concentrations and intensities of harmful factors for health in the work environment (Dz. U. 2018 item 1286, as amended) Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21; as amended) Act on chemical substances and their mixtures of February 25, 2011. (Journal of Laws No. 63, item 322; as amended)

Regulation of the Minister of Labor and Social Policy of September 26, 1997 on general regulations of safety and hygiene at work (Dz. U. of 2003, No. 169, item 1650; as amended).

Switzerland:

VOC content:: acc. VOCV CH 814.018, att. 1: 100 %

Hungary:

Gerstaecker 😼

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022 **Print Date:** 25-Oct-2023

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

Decree No 44/2000 (XII.27.) of the Ministry of Economic Affairs and Labour of the Republic of Hungary on certain procedures and activities Joint Decree No. 5/2020 ITM on Chemical Safety at Work 178/2017 (VII. 5.) Government Decree on the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) "A" and "B" of the European Agreement on Road Transport

International Inventories:

TSCA DSL/NDSL EINECS/ELINCS	Does not comply Does not comply Complies
ENCS	Does not comply
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies
NZIoC	Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

NZIOC - New Zealand Inventory of Chemicals

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report:

No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet:

Full text of H-Statements referred to under section 3:

EUH066 - Repeated exposure may cause skin dryness or cracking

H225 - Highly flammable liquid and vapor

H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

- H315 Causes skin irritation
- H319 Causes serious eye irritation

H335 - May cause respiratory irritation

- H336 May cause drowsiness or dizziness
- H340 May cause genetic defects
- H350 May cause cancer

H372 - Causes damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

Legend:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 15-Nov-2022

Print Date: 25-Oct-2023

Gerstäcker

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) ADR: European agreement concerning the international carriage of dangerous goods by road (Accord européen relatif transport des merchandises dangereuses par route) AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany) **BCF: Bio-Concentration Factor** BOD(5): Biochemical oxygen demand (within 5 days) CAS: Chemical Abstract Service CLP: Classification, Labelling and Packaging CMR: Carcinogenic, Mutagenic, toxic for Reproduction DIN: German Standards Institute / German industrial norm **DNEL: Derived No Effect Level** DOC: Dissolved organic carbon EAK/ AVV: European waste catalogue/ waste directory-regulation EC50: Effective Concentration 50% ECHA: European Chemical Agency EINECS: European Inventory of Existing Commercial Chemical Substances GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals IATA: International Air Transport Association IC50: Inhibition Concentration 50% IMDG: International Maritime Dangerous Goods Code LC50: Lethal Concentration 50% - LD50: Lethal dose 50% MAK: Treshold limit values Germany NLP: No Longer Polymers NOAEC: No Observed Adverse Effect Concentration NOAEL: No Observed Adverse Effect Level OECD: Organization for Economic Cooperation and Development PBT: persistent, bioaccumulative, toxic PC: Product category PNEC: Predicted No Effect Concentration REACh: Registration, Evaluation and Authorization of Chemicals RID:Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer) STEL: Short-term Exposure Limit STP: Sewage treatment plant SVHC: Substance of Very High Concern TLV: Threshold Limit Value TWA: Time Weighted Average **UN: United Nations** VOC: Volatile Organic Compounds vPvB: very persistent, very bioaccumulative

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ceiling: Maximum limit value * Skin designation

Classification procedure Classification according to Regulation (EC) No. 1272/2008 [CLP] Method Used Acute oral toxicity Calculation method Acute dermal toxicity Calculation method Acute inhalation toxicity - gas Calculation method Acute inhalation toxicity - vapor Calculation method Acute inhalation toxicity - dust/mist Calculation method Skin corrosion/irritation Calculation method Serious eye damage/eye irritation Calculation method Respiratory sensitization Calculation method Skin sensitization Calculation method Mutagenicity Calculation method



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 **Revision date:** 15-Nov-2022

Print Date: 25-Oct-2023

Revision Number: 1

Gerstäcker - Terpentinersatz - 34775, 34776, 34793

Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS:

European Chemicals Agency (ECHA)

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Revision date: 20-Aug-2021 Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH):

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet